

**Northwest Florida Water Management District
Land Management Plan**
for the
East Region

September 2019



**Northwest Florida Water Management District
81 Water Management Drive
Havana, Florida 32333-4712**

NORTHWEST FLORIDA WATER MANAGEMENT DISTRICT

GOVERNING BOARD

George Roberts
Chair, Panama City

Jerry Pate
Vice Chair, Pensacola

Jon Costello
Tallahassee

Ted Everett
Chipley

Bo Spring
Port St. Joe

Brett J. Cyphers
Executive Director



Headquarters

81 Water Management Drive
Havana, Florida 32333-4712
(850) 539-5999
www.nwfwater.com

Defuniak Springs
700 US Highway 331 South
DeFuniak Springs, FL 32435
(850) 951-4660

Econfina
6418 E. Highway 20
Youngstown, FL 32466
(850) 722-9919

Milton
5453 Davisson Road
Milton, FL 32583
(850) 626-3101

This page left blank intentionally.

Executive Summary

The Northwest Florida Water Management District (the District) is one of five water management districts created by the Water Resources Act of 1972. The District is responsible for managing and protecting water resources in the Florida Panhandle. The District's land management program provides protection for wetland and floodplain functions, groundwater recharge, surface and groundwater quality, natural systems, and fish and wildlife habitat. The purpose of this Land Management Plan (LMP) is to formally document established land management objectives that provide both Governing Board and Land Management Review Teams a means to ascertain whether District-owned lands are being managed in accordance with Section (§) 373.016, §373.1391 and §373.591, Florida Statutes (F.S) and the District's water resources protection mission.

This LMP will serve as an operational guide for all land management planning and operations for the District over the next 10 years. The District will use the LMP to reinforce measures for compliance with applicable laws and regulations and identify and provide direction for voluntary stewardship initiatives or best practices. This LMP will supersede all other District land management plans. The LMP is created with the flexibility to be updated/revised if necessary to reflect the best interest of the resources that the District is charged with protecting and managing. As per §373.591 F.S., "the water management districts shall establish land management review teams to conduct periodic management reviews."

This LMP provides a comprehensive overview of District natural resources, along with goals and objectives for resource management. This LMP is organized into four main chapters, plus references and appendices.

- Chapter 1 - Introduction and Purpose: includes discussion of management authority.
- Chapter 2 - District Land Management: provides an overview of District lands and outlines District land management policies, and internal/external coordination.
- Chapter 3 - Land Management Elements: provides a detailed description of District land management practices.
- Chapter 4 - Regional LMPs: Details resources and practices per region. Regional LMPs (East, Central, and West) function as stand-alone documents embedded within the overall LMP.

Land managers work to protect and enhance District-owned natural areas through a variety of activities, including prescribed burning, timber management and harvesting, groundcover reintroduction, reforestation, streambank erosion control and protection, wetland restoration (based on permit requirements), and management of public access and recreation. The District's silviculture activities are guided by the Florida Department of Agriculture and Consumer Services (FDACS) "Best Management Practices for Silviculture" – Chapter 5I-6 Florida Administrative Code.

This page left blank intentionally.

Table of Contents

<u>Section</u>	<u>Page</u>
Governing Board.....	iii
Executive Summary.....	v
List of Tables	ix
List of Figures.....	x
Acronyms and Abbreviations	xi
1 Introduction and Purpose	1-1
1.1 Purpose and Authority	1-1
1.2 LMP Use and Organization	1-1
1.3 Public Review and Stakeholder Involvement	1-1
1.4 LMP Update and Revisions	1-2
2 District Land Management.....	2-1
2.1 District Lands.....	2-1
2.2 Land Management Overview.....	2-2
2.3 District Land Management Program Goals and Objectives.....	2-4
2.3.1 Resource Management.....	2-5
2.3.2 Public Use.....	2-8
2.4 LMP Relationship with Existing District Plans, Permits and Programs.....	2-10
2.5 Cooperating Land Management Agencies and Agreements.....	2-11
2.6 Summary of Management Issues.....	2-12
2.6.1 Prescribed Fire	2-12
2.6.2 Invasive Species Management.....	2-12
2.6.3 Timber Management.....	2-12
2.6.4 Management of Public Use.....	2-13
2.6.5 Cooperative Utilization of Other Management Resources	2-13
3 Land Management Elements	3-1
3.1 Floodplain Conservation.....	3-1
3.2 Uplands Management	3-1
3.2.1 Condition Class I	3-2
3.2.2 Condition Class II	3-2
3.2.3 Condition Class III.....	3-2
3.2.4 Condition Class IV.....	3-2
3.2.5 Cooperative Research in Forest Fertilization (CRIFF) Soils	3-3
3.3 Silviculture Best Management Practices	3-3
3.4 Threatened and Endangered Species	3-5
3.4.1 State Best Management Practices for State-Listed Species	3-6
3.4.2 Federally Protected Species	3-7
3.5 Forest Management.....	3-7

Table of Contents (continued)

<u>Section</u>	<u>Page</u>
3.5.1 Forest Data Management	3-7
3.5.2 Timber Management	3-8
3.5.3 Invasive/Exotic Species Management	3-10
3.5.4 Forest Pest Management	3-10
3.5.5 Vegetation Management and Fuel Loading	3-10
3.5.6 Prescribed Burning	3-11
3.6 Public Use Management	3-12
3.7 District Project Prioritization and Development	3-12
3.8 Historical and Archaeological Resources	3-13
3.9 Asset Management	3-13
4 East Region	4-1
4.1 Description of the East Region	4-1
4.2 Apalachicola River WMA	4-3
4.2.1 Property Resources	4-3
4.2.2 Resource Management Philosophy	4-12
4.2.3 Management Actions and Strategies	4-12
4.2.4 Special Resource Management Designations	4-14
4.3 Chipola River WMA	4-15
4.3.1 Property Resources	4-15
4.3.2 Resource Management Philosophy	4-25
4.3.3 Management Actions and Strategies	4-25
4.3.4 Special Resource Management Designations	4-27
4.4 Elinor Klapp-Phipps Park WMA	4-28
4.4.1 Property Resources	4-29
4.4.2 Resource Management Philosophy	4-33
4.4.3 Management Actions and Strategies	4-35
4.4.4 Cooperating Management Agencies and Responsibilities	4-36
5 References	5-1

Appendices

A	District Land Ownership
B	Condition Class Examples
C	NFWMD Special Resource Area Permit Form
D	Florida DHR Management Procedures for State-Owned and State-Controlled Properties
E	NFWMD Management Agreements
F	Florida Exotic Pest Plant Council Category I and II
G	Known Historical and Archaeological Resources in the East Region

List of Tables

Table

2-1	District-owned Lands by Region, Water Management Area, and Generalized Forest Type.....	2-1
2-2	FWC Wildlife Management Areas on District-Owned Lands.....	2-9
3-1	CRIFF Soil Groupings	3-3
4-1	East Region Lands by WMA and Generalized Forest Type	4-1
4-2	Forest Resource Type, Acres and Percent within the Apalachicola River WMA	4-5
4-3	CRIFF Soils and Acreages on the Apalachicola River WMA	4-8
4-4	Management Goals, Objectives, and Current and Upcoming Projects and Contracts on the Apalachicola River WMA	4-12
4-5	Special Resource Designations and Programs within the Apalachicola River WMA	4-14
4-6	Forest Resource Type, Acres and Percentage of Total Acres in the Chipola River WMA	4-17
4-7	CRIFF Soils and Acreages on the Chipola River WMA	4-20
4-8	Management Goals, Objectives and Current and Upcoming Projects and Contracts on the Chipola River WMA	4-25
4-9	Special Resource Designations and Programs within the Chipola River WMA	4-27
4-10	Forest Resource Type, Acres, and Percent of Elinor Klapp-Phipps Park WMA.....	4-30
4-11	CRIFF Soils and Acreages on the Elinor Klapp-Phipps Park WMA.....	4-30
4-12	Management Actions and Strategies on Elinor Klapp-Phipps Park WMA	4-35
4-13	Management Partners and Responsibilities for the Elinor Klapp-Phipps Park WMA	4-36

List of Figures

Figure

2-1	District Lands of the Northwest Florida Water Management District.....	2-3
4-1	East Region Lands of the Northwest Florida Water Management District.....	4-2
4-2A	Apalachicola River WMA - Forest Resources.....	4-6
4-2B	Apalachicola River WMA – Forest Resources – Beaver Dam Creek.....	4-7
4-3A	Apalachicola River WMA – Soil Resources.....	4-9
4-3B	Apalachicola River WMA – Soil Resources – Beaver Dam Creek	4-10
4-4	Apalachicola River WMA – Recreational Resources.....	4-11
4-5A	Chipola River WMA – Forest Resources – Upper Chipola.....	4-18
4-5B	Chipola River WMA – Forest Resources – Lower Chipola	4-19
4-6A	Chipola River WMA – Soil Resources – Upper Chipola	4-21
4-6B	Chipola River WMA – Soil Resources – Lower Chipola.....	4-22
4-7A	Chipola River WMA – Recreational Resources – Upper Chipola	4-23
4-7B	Chipola River WMA – Recreational Resources – Lower Chipola	4-24
4-8	Elinor Klapp-Phipps Park WMA – Forest Resources.....	4-31
4-9	Elinor Klapp-Phipps Park WMA – Soil Resources	4-32
4-10	Elinor Klapp-Phipps Park WMA – Recreational Resources.....	4-34

Acronyms and Abbreviations

§	Section
%	percent
ARSA	Apalachicola Regional Stewardship Alliance
ATV	all-terrain vehicle
BMP	Best Management Practice
City	City of Tallahassee, Florida
CRIFF	Cooperative Research in Forest Fertilization
DHR	(Florida) Division of Historical Resources
District, the	Northwest Florida Water Management District; <i>also</i> NFWWMD
F.S.	Florida Statutes
FDACS	Florida Department of Agriculture and Consumer Services
FDEP	Florida Department of Environmental Protection
FDOT	Florida Department of Transportation
FFS	Florida Forest Service
FMSF	Florida Master Site File
FNAI	Florida Natural Area Inventory
ft ² /acre	square feet per acre
FWC	Florida Fish and Wildlife Conservation Commission
GCPEP	Gulf Coastal Plain Ecosystem Partnership
GIS	geographic information system
LMP	Land Management Plan
NGO	non-governmental organization
NRHP	National Register of Historic Places
NFWWMD	Northwest Florida Water Management District; <i>also</i> the District
OFW	Outstanding Florida Waters
ONRW	Outstanding Natural Resource Waters
Phipps Park	Elinor Klapp-Phipps Park
SHPO	State Historic Preservation Officer
SMZ	Special Management Zone
SRAP	Special Resource Area Permit
SWIM	Surface Water Improvement and Management
SWMP	Strategic Water Management Plan

Acronyms and Abbreviations (continued)

T&E	threatened and endangered
USFWS	United States Fish and Wildlife Service
WBMP	Wildlife Best Management Practices
WMA	water management area; <i>also</i> Wildlife Management Area (FWC)

1 Introduction and Purpose

The Northwest Florida Water Management District (the District) is one of five water management districts created by the Water Resources Act of 1972 and is charged with managing the water resources of the Florida Panhandle. The District began acquiring land in the mid-1980s for the purpose of water resources protection and manages its lands in accordance with statutory requirements.

1.1 Purpose and Authority

The purpose of the Land Management Plan (LMP) is to formally document established land management objectives that provide the Governing Board and Land Management Review Teams both a means to ascertain whether District-owned lands are being managed in accordance with Section (§) 373.016, §373.1391, and §373.591, Florida Statutes (F.S), and the District's water resources protection mission.

1.2 LMP Use and Organization

This LMP will serve as an operational guide for all land management planning and operations for the District over the next 10 years. The plan provides a comprehensive overview of District natural resources, as well as goals and objectives for resources management to maintain a balance among often competing uses with a focus on water resources. The District will use the LMP to: 1) demonstrate and measure compliance with applicable laws and regulations, and 2) identify and provide direction for stewardship initiatives that are not necessarily required by law or regulations but that are considered best management practices (BMPs).

This document is organized to be easily used by a variety of readers. Chapter 1 provides an overview of the purpose, management authority, development, review, and update of the LMP. Chapter 2 provides an overview of District lands and outlines District land management policies, coordination within other District departments/sections, and land management agreements with outside agencies and local governments. Chapter 3 provides a detailed description of District land management practices. Chapter 4 provides specifics for the East region LMP that details natural resources, land management programs and policies, and current and potential future projects for each District water management area (WMA). Each regional LMP (East, Central, and West) is designed to function as a stand-alone document embedded in a broader contextual framework.

1.3 Public Review and Stakeholder Involvement

The District cooperates with federal, state, and local governments; water supply utilities; non-governmental stakeholders; and private citizens to accomplish its statutory mission. Public and agency participation and comment on this LMP is essential for implementing a collaborative and successful process. External participation involves stakeholder identification, outreach, and analysis and implementation of stakeholder feedback.

It is the intent of the District to engage the public and stakeholders throughout the development of this LMP. The public will be encouraged to provide input, and this input will be considered in project development and review. Meetings to obtain public comment on the LMP will be held in Marianna and Bristol, Florida. In addition, the District posted the LMP on the District website on September 9, 2019 for review and comment through September 20, 2019. This LMP was brought to the District's Governing Board on September 27, 2019 for review and approval.

1.4 LMP Update and Revisions

The LMP is created with the flexibility to be updated/revised if necessary to reflect the best interest of the resources that the District is charged with protecting and managing. As per §373.591 F.S., "the water management districts shall establish land management review teams to conduct periodic management reviews." This requirement is to ensure that the LMP is consistent with the legislative intent and meets the expectations of the public at large. This land management review team shall comprise individuals from the principal user/stakeholder groups and shall be selected by the Executive Director and approved by the Governing Board. Land management review team members shall serve a minimum of two years, after which they will be reappointed or replaced in the same manner as they were selected. This LMP will supersede all other District land management plans.

2 District Land Management

This section is a summary of District lands and land management coordination within other District departments/sections, and land management agreements with outside agencies and local governments consistent across all three LMPs (East, Central and West).

2.1 District Lands

The District extends from the St. Marks River Basin in Jefferson County to the Perdido River in Escambia County, encompassing approximately 11,305 square miles, or 17 percent (%) of the state's geographic area (Figure 2-1). Sixteen (16) counties lie within the District: Bay, Calhoun, Escambia, Franklin, Gadsden, Gulf, Holmes, Jackson, Leon, Liberty, Okaloosa, Santa Rosa, Wakulla, Walton, and Washington counties, and the westernmost portion of Jefferson County. There are 63 incorporated cities within the District. The District is bordered to the north by Georgia and Alabama, to the west by Alabama, to the south by the Gulf of Mexico, and to the east by the Suwannee River Water Management District (Figure 2-1). The District also contains more than 250 springs, including five first-magnitude springs: Wakulla Spring, Jackson Blue Spring, Gainer Springs Group, St. Marks River Rise, and the submarine Spring Creek Springs Group.

The District manages over 211,000 acres of land in fee-simple interest and 224,500 acres in combined fee and less-than-fee interests. Funding sources and the purpose for acquiring District-owned lands, which includes protection of floodplain functions, water recharge, water quality, natural systems, fish and wildlife habitat, and public recreation, are detailed in Appendix A. For the purpose of land management, the District's Bureau of Land Management has established three regions: East, Central, and West. These three regions are further subdivided into ten (10) WMAs: Apalachicola River, Blackwater River, Chipola River, Choctawhatchee & Holmes Creek, Econfinia Creek, Escambia River, Garcon Point, Perdido River, Yellow River, and Elinor Klapp-Phipps Park (Table 2-1).

Table 2-1 District-Owned Lands by Region, Water Management Area, and Generalized Forest Type				
NFWFMD Region	Total Acres	Upland Acres	Floodplain Acres	Open Acres
Eastern Region	46,281	1,910	44,281	90
Apalachicola WMA	36,823	141	36,682	-
Chipola WMA	8,916	1,354	7,557	5
Elinor Klapp-Phipps Park WMA	542	415	42	85
Central Region	103,012	43,067	59,585	361
Econfina Creek WMA	42,138	31,769	10,152	217
Choctawhatchee & Holmes Creek WMA	60,874	11,298	49,432	144
Western Region	61,027	4,395	53,426	3,207
Yellow River WMA	16,298	1,207	14,946	145

Table 2-1 District-Owned Lands by Region, Water Management Area, and Generalized Forest Type				
NFWMD Region	Total Acres	Upland Acres	Floodplain Acres	Open Acres
Blackwater River WMA	391	-	391	-
Escambia River WMA	34,845	448	34,397	-
Perdido River WMA	6,273	2,582	3,691	-
Garcon Point WMA	3,222	158	2	3,062
Total Acres	210,322^(a)	49,372	157,292	3,658
Source: Data originated from the District's geodatabase: acreage is calculated using UTM [Universal Transverse Mercator Zone] 16N. Note: (a) Data sourced from District GIS layers and should be considered approximate and not authoritative.				

2.2 Land Management Overview

The primary goal of the District land acquisition and subsequent land management activities is to protect water resources. The District's land management program provides protection for wetland and floodplain functions, groundwater recharge, surface and groundwater quality, natural systems, and fish and wildlife habitat. As indicated in Table 2-1, a total of 155,678 acres or 75% of District-owned lands are within floodplains. Land managers work to protect and enhance District-owned natural areas through a variety of activities, including prescribed burning, timber management and harvesting, groundcover reintroduction, reforestation, streambank erosion control and protection, wetland restoration (based on permit requirements), invasive and exotic species control, and public access and recreation. Currently, the District does not harvest hardwood timber in floodplains, riparian areas, and wetland areas. This management decision minimizes the potential for erosion and sedimentation. The District's silviculture activities are guided by the Florida Department of Agriculture and Consumer Services (FDACS) "Best Management Practices for Silviculture" – Chapter 5I-6 Florida Administrative Code.

Table 2-1 also demonstrates that a total of 49,372 acres or 24% of District-owned lands consist of upland forests types dominated by both upland pines and hardwoods. The District's approach to upland forest management begins with an evaluation of predominant soil conditions within upland stands. The soils component determines which pine species is preferred in the overstory, based on soil moisture availability and other soil characteristics. The District utilizes relative Condition Class to assess current conditions and set desired future condition goals. The District Condition Class is determined by the amount of time since the last disturbance, such as fire, chopping, logging, or mowing has occurred in the visible vicinity of the plot and ranges from Condition Class 1 to 4. Additional detail and examples of the District's Condition Class are provided in Sections 3.2.1 through 3.2.4 and Appendix B.

Upland management is accomplished through the use of traditional silvicultural practices including clearcuts, overstory thinning, natural and artificial regeneration, and pre-commercial maintenance. The primary intent of all silvicultural practices is to restore upland timber stands to a near natural condition. If a stand has obtained its desired Future Condition, then the silvicultural intent is to maintain that condition to the extent possible. The predominant reforestation activity on land previously managed as commercial

pine plantation is to convert these timber stands to uneven-aged, low basal area, fire-maintained pine stands, or to maintain the structure and function of previously restored areas.

When clear-cut activities are necessary for the reforestation of a site, appropriate pine species are planted including longleaf, slash, and loblolly pines. In reforested areas, natural regeneration is primarily relied upon to recruit new growth. Since stand density and basal area are important to this recruitment, timber thinning is another vital tool to improve and protect habitat by removing diseased trees, which opens stands to decrease competition and promote greater levels of understory/overstory diversity. The District evaluates hardwood harvesting on a case-by-case basis with an evaluation of impacts to water quality. Revenues generated from timber harvests are used to partially fund District land management activities. A more detailed description of District land management practices is provided in Section 3.

Prescribed burning is the District's primary land management tool to obtain desired future condition (Condition Class) within fire-dependent habitat areas. Maintaining these lands in the appropriate burn cycle is essential for forest health by promoting appropriate understory regeneration and reducing hardwoods, as well as reducing fuel loads for wildfire risks and improving general aesthetics. The District timber database categorizes the land management areas as stands, each of which are identified by a unique Stand ID number. While stands are typically the smallest land management unit, there are instances where a prescribed burn unit is comprised of a single stand. However, in general, multiple individual timber stands are typically combined into larger burn units. The amount of District lands burned within the preferred burn cycles is the primary land management metric. By increasing the number of acres in their preferred burn cycle, maintaining those same acres in the preferred burn cycle for extended periods of time, and employing periodic thinning harvest to maintain appropriate basal area, the Condition Class of those acres should improve to a point that the desired future condition is obtained.

2.3 District Land Management Program Goals and Objectives

Implementation of the District's goals and objectives is accomplished through coordinated activities within each of the District's major divisions: Asset Management, Resource Management, Regulatory Services, and Administration. Given that the District is primarily a water resource agency, its principal purpose is to protect and, where necessary, restore water resources and watershed functions. The District recognizes that a healthy forest system, with appropriately maintained tree density and understory coverage significantly contributes to improved protection of water resources. Well-maintained forest stands contribute by assisting in erosion and sediment control, as well as providing improvements in water quality and quantity. It is also important to note that forest cover, when maintained in the correct Condition Class, provides deeply rooted vegetation, invites numerous animal burrows, and provides relic root channels and stump holes, all of which contribute to the rapid infiltration of rainfall to subsurface flow and/or to the aquifer. Thus, forests are the preferred land cover for District lands, where appropriate.

- **Goal 1 Water Resource Protection** – to preserve water resources and related land for water quality management and for water supply and conservation, as well as to restore, enhance, or conserve the lands' natural, aesthetic, recreational, or hydrologic values.

- **Goal 2 Public Use** – to provide opportunities for compatible resource-based recreation opportunities to meet the public’s needs.
- **Goal 3 Resource Management** – to protect, enhance, and/or restore natural, archaeological, and historical resources on lands owned by the District.

2.3.1 Resource Management

Resource management is most effective when ecosystem components (i.e., soils, water quality, forest resources, wildlife, etc.) are addressed together in a coherent and comprehensive manner. Effective land management occurs at a level that incorporates the similarities and interconnectedness of the resources. District staff focus on resource interactions across the landscape when developing management prescriptions. The following section details goals by resource to outline specific strategies.

2.3.1.1 Resource Objectives

Water Resource Protection

Protection of water resources, including rivers, lakes, springs, estuaries, wetlands, and groundwater recharge areas, is the primary purpose of District land acquisition and management. District ownership of floodplains, riparian lands, water recharge areas, and other sensitive lands provides significant protection of surface and groundwater quality, groundwater recharge, floodplain functions, and natural systems, while also providing for public access and use.

Water Resource Protection Objectives:

- Protect surface and groundwater quality
- Protect groundwater recharge
- Protect floodplain functions
- Support water resource restoration

Soils, Topography, and Natural Communities

Soils are the parent material from which terrestrial plants are rooted and obtain nutrients for survival. Florida’s topography influences hydrologic flow and storage. District land managers work to minimize topsoil degradation and loss and to sustainably manage natural communities.

Soils, Topography, and Natural Community Objectives:

- Minimize soil degradation (erosion, compaction)
- Maintain and/or restore natural communities for a given site to an appropriate Desired Future Condition
- Update and maintain current reference data

Invasive and Non-Native Plants and Animals

Invasive species displace native plants and associated wildlife, limit species diversity, impact timber health and long-term productivity, hinder public access and use, alter natural processes such as fire regimes and hydrology, and increase land management costs.

Invasive and Non-Native Plant and Animal Resource Objectives:

- Manage and eliminate invasive and non-native plants and animals, to the degree possible, through grants, public hunting, and herbicide application by District land managers.

Groundcover Resources

Groundcover, specifically grasses, herbaceous plants, and woody debris, are vital elements to biodiversity and natural community management and offer water resource protection. Many terrestrial vertebrate animals are directly or indirectly dependent on the groundcover for forage and cover. Fire-dependent natural communities are managed with prescribed fire because native groundcover provides flammable fine fuels. These fine fuels historically provided for natural fires across the entire state. Hydric community groundcovers trap sediment-laden runoff and aerate soils, among other important functions.

Groundcover Resource Objectives:

- Reduce degradation of the existing native groundcover
- Observe grass, herbaceous, and shrub layers to determine if stand Condition Class is in/out of the accepted range
- Encourage the re-establishment of native groundcover species

Forest Resources

The District strives to maintain healthy, sustainably managed forests in the appropriate Condition Class. Sustainable forest management means that current practices and the attainment of short-term goals should not compromise the capacity of the forests to deliver ecosystem services and economic products in the future. In its simplest terms, this is accomplished by limiting harvesting so that the rate of removal does not exceed the rate of growth. District land management staff activities are guided by silvicultural BMPs in order to enhance existing forested communities; therefore, silvicultural prescriptions will incorporate natural stand development and disturbance patterns that are consistent with these BMPs.

Forest Resource Objectives:

- Manage to attain an uneven-aged and vertically diverse forest, including retaining dominant and/or old growth trees and snags
- Reforest using appropriate tree species, as determined by soil conditions to protect water resources
- Ensure that District lands are prescribe-burned in accordance with preferred burn cycles

- Maintain an accurate and current pine forest resource inventory
- Ensure that commercial harvests optimize financial returns while protecting District water resources protection goals

Threatened and Endangered Species Resources

By focusing land management efforts on maintaining a natural community structure, District-owned lands provide habitat for numerous native plants and animals, some of which are classified as listed species. The District relies on the following government agencies to classify species as rare:

- Listed by the U.S. Fish and Wildlife Service (USFWS) as federally threatened or endangered; or
- Listed by the Florida Fish and Wildlife Conservation Commission (FWC) as threatened or endangered; or
- Listed by the FDACS, Division of Plant Industry as threatened, endangered, or commercially exploited.

Rare Species Resource Objectives:

- Protect listed species on District-owned lands
- If a species is known to exist on District-owned lands, staff will implement BMPs and/or other measures as appropriate
- On District-owned lands where the FWC has a presence, the District will coordinate with FWC biologists for known locations of threatened and endangered (T&E) species prior to silviculture operations

Cultural and Historic Resources

Artifacts and remnants of past human inhabitants are part of the land's natural history. The District avoids damage to these known resources during all land management activities. Section 3.8 details the process if resources were inadvertently discovered during the completion of District land management activities.

Cultural and Historic Resource Objectives:

- Avoid and prevent negative impacts to cultural and historical resources, to the extent practicable
- Utilize the documented location of significant cultural and historical resources on District-owned lands provided by the Division of Historical Resources (DHR) within the Department of State
- Follow appropriate protocols for construction projects (non-silviculture)

Aesthetic and Visual Resources

The application of aesthetic principles to land management operations enhances the visual quality of District-owned lands. The District will continue to incorporate uneven-aged forest management and other

strategies to enhance the aesthetic value of managed lands. As a result, visitors have a more enjoyable experience, take away a better opinion of District management activities, and are potentially more receptive to the District’s message regarding natural resource stewardship.

Aesthetic and Visual Resource Objectives:

- Maintain or enhance overall visual quality of District lands, where appropriate
- Minimize or mitigate short-term negative appearances of land management activities

2.3.2 Public Use

2.3.2.1 Establishing Public Use

District-owned lands provide opportunities for compatible resource-based recreation. In recent years, the District has enhanced and expanded the recreational opportunities on District-owned lands. Activities at each location are compatible with natural resources protection and intended land use priorities and include swimming, picnicking, paddling, hiking, fishing, hunting, camping, cycling, horseback riding, wildlife viewing, and more.

Any changes to the recreational infrastructure will be updated on the District’s recreation section on the website, which can be viewed online at <https://www.nwfwater.com/Lands/Recreation> .

Public Use Objectives:

- Maintain parking areas, campsites, trails, picnic areas, restrooms, kiosks, roads, bridges and gates
- Maintain current information on the District website
- Provide, maintain and support an online reservation system for designated campsites

2.3.2.2 Hunting and Fishing

The District’s land management program provides a variety of public hunting opportunities for traditional game species such as deer, turkey, and quail. Hunting opportunities are available on District lands that are designated as FWC Wildlife Management Areas (Table 2-2). Fishing is allowed on District-owned tracts subject to regulations set forth by the FWC.

Table 2-2 FWC Wildlife Management Areas on District-owned Lands		
NWFWMD Water Management Area	FWC Wildlife Management Area	Comments
Perdido River Water Management Area	Perdido River Wildlife Management Area	N/A
Escambia River Water Management Area	Escambia River Wildlife Management Area	N/A

Table 2-2 FWC Wildlife Management Areas on District-owned Lands		
NFWFMD Water Management Area	FWC Wildlife Management Area	Comments
Blackwater River Water Management Area	N/A	N/A
Garcon Point Water Management Area	N/A	N/A
Yellow River Water Management Area	Yellow River Wildlife Management Area	Multiple Hunt Zones FWC WMA also includes Florida Forest Service property
Choctawhatchee River/Holmes Creek Water Management Area	Choctawhatchee River Wildlife Management Area	Multiple Hunt Zones
	Lafayette Creek Wildlife Management Area	Mostly Quota Hunts
Ward Creek West Tract	N/A	Annexed into City of Panama City Beach city limits. Wetland Mitigation Property
Econfina Creek Water Management Area	Econfina Creek Wildlife Management Area	Multiple Hunt Zones, including Mobility-Impaired and an area closed to hunting.
Carter Tract/Sand Hill Lakes Mitigation Bank	Fitzhugh Carter Wildlife Management Area	Within Econfina Creek FWC Rule/Brochure but also stand-alone WMA for FWC. Wetland Mitigation Property – Sand Hill Lakes Mitigation Bank. Mostly Quota Hunts.
Chipola River Water Management Area	Chipola River Wildlife Management Area	Multiple Hunt Zones Lower Chipola River WMA (Altha Tract; south) and Marianna Tract (north)
Apalachicola River Water Management Area	Apalachicola Wildlife Management Area	East Side of Apalachicola River – Adjoins Apalachicola National Forest
	Apalachicola River Wildlife and Environmental Area	West side of Apalachicola River including Cutoff Island
	Beaverdam Creek Wildlife Management Area	Separate Tract North of Bristol
Elinor Klapp-Phipps Park Water Management Area	N/A	Closed to hunting - City of Tallahassee Park
Source: Northwest Florida Water Management District, FWC		

2.3.2.3 Otherwise Authorized Activities (Permits)

Activities on District-owned lands are compatible with natural resources protection and intended land use priorities and include paddling, hiking, fishing, hunting, camping, cycling, horseback riding, wildlife viewing, and more. In order to protect sensitive resources and reduce management costs, it is necessary to limit some recreational opportunities and the use of certain roads or other access on District lands. Any entity that desires to hold an event with 10 or more participants within any WMA must apply in advance for and receive a Special Resource Area Permit (SRAP) from the District as provided in Appendix C.

Common uses that require an SRAP include (but are not limited to) cross-country runs, organized trail rides and hikes, and weddings.

2.3.2.4 Law Enforcement

The District relies on the FWC and county sheriffs' offices to enforce Florida statutes and administrative rules on District-owned lands. District staff and visitors report potential violations to the most appropriate law enforcement agency. The District also contracts for enhanced patrols by law enforcement agencies in high-use areas and areas with chronic violations.

2.4 LMP Relationship with Existing District Plans, Permits and Programs

The LMP is designed as an operational plan to address land management within District-owned lands. This LMP will supersede all other District land management plans. District lands designated for wetland mitigation purposes often have requirements beyond those found in this document. Many land management activities on mitigation lands are directed by regulatory guidance or permit requirements. It is important to recognize many activities are implemented through subordinate plans, permits, and programs that directly execute the strategies outlined in the LMP. Thus, the LMP reflects an integrated approach to the major land management challenges facing the District. Related plans and programs include:

- ***Surface Water Improvement and Management (SWIM) Plans***, which are developed to address, on a watershed basis, cumulative manmade impacts on water quality and aquatic habitats. They incorporate comprehensive strategies to both restore and protect watershed resources. Implementation is accomplished through a variety of activities, such as retrofitting stormwater management systems to improve water quality and flood protection, restoring wetland and aquatic habitats, evaluating resource conditions and freshwater needs, protecting and restoring springs, and providing public outreach and awareness. The SWIM Plans identify Outstanding Florida Waters (OFW), Outstanding Natural Resource Waters (ONRW), Class I Waters, and other protected surface water bodies within each watershed within the District.
- ***The Strategic Water Management Plan (SWMP)*** presents the District's strategic priorities and identifies goals, strategies, success indicators, funding sources, deliverables, and milestones for the next five-year planning horizon. A separate Annual Work Plan Report on the strategic plan's implementation are submitted each year with the District's March 1 Consolidated Annual Report. The SWMP is reviewed and updated annually, based on implementation progress as well as direction from the Governing Board and input from the public.
- ***The Five-Year Water Resource Development Work Program*** is updated annually and provides a description of activities and funding needed to continue implementation of the District's Regional Water Supply Plans.
- ***Water Supply Plans and Assessments*** are evaluated by the District every five years to determine whether existing and anticipated water sources are sufficient to meet future demands while sustaining water resources and associated natural

systems. If the District determines that a region's water needs are likely to exceed available water sources in the next 20 years, the District will prepare a Regional Water Supply Plan, which identifies alternatives for meeting the anticipated future water needs (as required by §373.709, F.S.).

- **Florida Forever Work Plan** is required to be annually updated under §373.199(7), F.S. This plan, which is presented as a separate chapter in the Consolidated Annual Report, contains information on projects eligible to receive funding under the Florida Forever Act and reports on land management activities, surplus lands, funding status, staffing, and resource management projects for which the District is responsible.
- **Wetlands Mitigation Program** is a District program charged with protecting and managing the water resources, including wetlands, of northwest Florida in a sustainable manner for the benefit of its residents and natural ecosystems. Other District programs implemented to accomplish a similar goal include land acquisition and management, and regulation of wetland impacts. Proposed transportation projects in northwest Florida with potential wetland impacts may be found at the Florida Department of Transportation (FDOT) Efficient Transportation Decision Making website. The District mitigation program does not compete with private mitigation banks and provides mitigation options to FDOT only when use of a private mitigation bank is not feasible.

2.5 Cooperating Land Management Agencies and Agreements

The District maintains cooperative management agreements and/or leases with local governments, government agencies (state and federal) and other non-governmental organizations (NGOs) to provide management, protection, and public access. In fact, a strength of the District is the development of effective partnerships and cooperative relationships with other governmental and private organizations with similar/complementary functions and authority. Several state agencies have a major or direct role in the management of District lands.

The FDACS, Florida Forest Service (FFS), assists the District in the development of wildfire emergency plans and provides assistance with prescribed burning activities. The FWC provides staff for the enforcement of state laws pertaining to wildlife, freshwater fish, and other aquatic life. In addition, the FWC aids the District with wildlife management programs, including listed species management. The DHR assists the District with management and protection of cultural resources. See Appendix D for the DHR's management procedures for state-owned properties. Additionally, the District maintains numerous public/private cooperative agreements addressing access, prescribed fire assistance, and fire detection and prevention. Details on these management agreements are provided in the following sections and in Appendix E.

Volunteers provide an extension of the District workforce to accomplish the agency mission. The District provides volunteers an opportunity to work in areas such as trail development and maintenance and general

resource management. Volunteers will continue to provide vital assistance in managing District lands in the future.

2.6 Summary of Management Issues

The following is a summary of key management issues facing the District during their land management planning efforts.

2.6.1 Prescribed Fire

Fire set by frequent lightning strikes has historically been a significant force in shaping the natural Florida landscape and prescribed burns that mimic this natural occurrence are the District's primary land management tool. Prescribed burning is used to reduce fuels and potential wildfires, promote the development of desired understories, and increase the abundance and health of the forest itself as well as many wildlife species.

The District's goal is to set fires frequently as necessary, as indicated in Section 3.5.6. However, setting prescribed fire is a weather-dependent activity, subject to resource availability. The District implements its prescribed fire program using contractors and District staff. Burns conducted by District staff often include crew members from other entities, in particular staff from cooperating groups such as the Gulf Coastal Plain Ecosystem Partnership (GCPEP) and the Apalachicola Regional Stewardship Alliance (ARSA) and two prescribed fire support teams supported through these regional cooperative programs. The cooperators include government agencies, NGOs, and some private entities. Additionally, a federal training program, the National Interagency Prescribed Fire Training Center often provides burn crews to assist District staff. Current challenges include implementing a 10-year burn-cycle plan and reducing debris fuels left by Hurricane Michael. Both reduce the potential for catastrophic wildfire and promote obtaining desired future conditions.

Volunteers are used on many of the District's prescribed burns. Constraints on the prescribed burning program include weather, availability of qualified contractors, staffing and resources, and competing resource management priorities.

2.6.2 Invasive Species Management

The District faces the increasing impacts of non-native invasive/exotic species (plants, animals, and pathogens). Invasive species displace native plants and associated wildlife, limit species diversity, impact timber health and long-term productivity, hinder public access and use, alter natural processes such as fire regimes and hydrology, and increase land management costs. The management of these species requires a proactive and sustained effort. Currently, limited invasive species management efforts are implemented District-wide.

2.6.3 Timber Management

Land managers work to protect and enhance District-owned natural areas through a variety of activities, including prescribed burning, pine timber management and harvesting, and public access and recreation. Through reforestation, many areas within the District are being restored to their natural state and

condition. Various tree species such as longleaf, slash, and loblolly pines may be planted each year. Timber thinning is another important tool to improve and protect timber resources by removing suppressed and diseased trees, which opens stands to increase sunlight and promote growth and understory plant diversity. Proceeds from timber harvests contribute to the District's funding for land management.

2.6.4 Management of Public Use

District lands are available for public use, including fishing, hunting, camping, hiking, boating, swimming, and other recreational activities. Access and use issues are addressed on a parcel-by-parcel basis and must be evaluated and consistent with the goals and objectives for District lands.

The District strives to understand, maintain, and protect the inherent integrity of natural resources, processes, systems, and values of their lands, while providing meaningful and appropriate opportunities to enjoy them. Therefore, the District promotes low-impact resource-based recreational activities and currently prohibits activities such as riding all-terrain vehicles (ATVs) and other destructive practices with motor vehicles. This LMP addresses, to the extent possible, the balancing of allowable, competing uses on District lands.

2.6.5 Cooperative Utilization of Other Management Resources

The District's land management program utilizes the services and cooperation of private organizations, other governmental agencies, and volunteers. This assists with the efficient use of resources for the District to successfully conduct natural resource management with existing staff and resources. Section 2.5 highlights the ability of the District to cooperate with other entities, and Appendix E provides a detailed account of the cooperative management agreements that are in place with the District.

This page left blank intentionally.

3 Land Management Elements

This section provides a detailed review of specific District land management practices consistent across all three Regions for lands that are not permit-driven. District-owned lands are subdivided into uplands or floodplains as indicated in Section 2.1. Floodplains, which account for approximately 75% of District-owned lands, are essentially viewed as “buffer lands” and require minimum management activities but are essential in meeting the mission of the District to protect water resources. Conversely, uplands, which are 25% of the remaining District-owned lands, are dominated by upland pines and hardwoods and require moderate to significant management activities as determined by current Condition Class and desired future condition. The District utilizes relative Condition Class to assess current conditions and set goals for desired future condition. Although uplands only account for a relatively smaller overall percentage of District-owned lands, the greatest focus and application of management resources are on these uplands.

3.1 Floodplain Conservation

The District’s goal of preserving water resources and related land for water quality management, water supply and conservation, as well as to restore, enhance, or conserve the lands’ natural, aesthetic, recreational or hydrologic values drives all land management decisions. Most of the rivers in the District are in their natural state and have few manmade structures that alter their floodplains and channels or control their flow rates. To provide flood protection and maintain floodplain function, the District has acquired a substantial percentage of the river frontage and neighboring floodplains throughout the District.

Since gaining ownership, the District minimizes land management practices within these floodplain areas. Instead, these areas have been identified essentially as “buffer lands” intended to help accomplish the District’s mission of water quality protection. When resources are available, land management practices e.g., invasive species management will be conducted in accordance with the State of Florida *Silviculture Best Management Practices Manual* (Silviculture BMP Manual). The FFS provides specific guidance on BMPs (FDACS 2008) and has established compliance monitoring requirements and procedures. The Florida Department of Environmental Protection (FDEP) evaluated the effectiveness of silviculture BMPs and concluded that forestry operations conducted in accordance with the Silviculture BMP Manual resulted in no major adverse habitat alterations or impacts to water quality.

3.2 Uplands Management

The District adapted a fire regime system to establish a reference for land management effectiveness. While fire is the preferred disturbance that maintains most natural communities in Florida, other disturbances, though not ecological surrogates to fire, may accomplish or aid in the accomplishment of management objectives. Periodically, each District timber stand is assigned a Condition Class score as discussed below. Photographic examples of each Condition Class are provided in Appendix B. District staff make periodic Condition Class assessments and incorporate them into the forestry database for tracking and event planning.

Within the District's forest land management database, each District timber or burn stand is assigned a fire return interval based upon its unique characteristics. The fire intervals provided below are a general guideline for these habitats.

- Flatwoods once every two years
- Sandhill once every three years
- Scrub once every eight to twenty years
- Marsh/Wet Prairie once every two to three years

3.2.1 Condition Class I

Condition Class I is considered to be the desired condition of a fire-managed land management unit (or "stand"). If a recommended fire return interval is consistently achieved over a period of time, resulting in the appropriate plant community composition and structure, and the stand has benefited from disturbance within that appropriate fire recurrence interval then the subject stand would fall within Condition Class I.

3.2.2 Condition Class II

Condition Class II typically includes stands that have experienced a disturbance less often than the recommended fire return interval (but within two burn/disturbance cycles). Fire typically can bring the stand into desired Condition Class. Given more infrequent disturbance, shrubs will typically dominate portions of a burn zone. Appropriate plant community composition and structure will remain under these conditions, but many desirable plants will start being "edged out" or out-competed, especially in the later years of the second missed burn cycle.

3.2.3 Condition Class III

Condition Class III lacks successful disturbance within three or more fire return intervals and the stand has begun to experience undesirable changes in plant community composition and structure. Shrubs dominate much of the burn zone, and groundcover plants are noticeably reduced. Burn zones in these conditions can still be recovered, but additional actions (mechanical/chemical) may be required as fire alone may not be sufficient.

3.2.4 Condition Class IV

A Condition Class IV area has gone so long without disturbance that plant community composition and structure have changed entirely, and the area should no longer be considered a fire-maintained zone without prior implementation of additional actions (such as mechanical or chemical vegetation management). Fire alone can no longer restore such areas and desirable groundcover plants are nearly absent. Significant time, energy, and money will be required to restore these areas to Condition Class I.

3.2.5 Cooperative Research in Forest Fertilization (CRIFF) Soils

The University of Florida Cooperative Research in Forest Fertilization (CRIFF) developed a soil/site productivity index that integrates soil drainage class, soil texture, and depth of subsurface soil layers (Jokela and Long 2015). This index comprises eight CRIFF Group codes (A through H) that correspond with 85% of the soil series in the state as detailed in Table 3-1. Soils in the District have been identified according to the CRIFF program and will be detailed in following WMA descriptions.

Table 3-1 CRIFF Soil Groupings		
CRIFF Soil Group	Drainage	Important Feature
A	Very poor to somewhat poor	Sand to loamy sand surface layer less than 20 inches thick, with a finer textured soil horizon below.
B	Very poor to somewhat poor	Sand to loamy sand surface layer greater than 20 inches thick, with a finer textured soil horizon below.
C	Poor to somewhat poor	Spodic horizon below the surface layer. Sandy loam or finer textured soil horizon below the spodic horizon.
D	Poor to somewhat poor	Spodic horizon below the surface layer. Sand to loamy sand soil horizon below the spodic horizon.
E	Moderate to Well	Sand to loamy sand surface layer less than 20 inches thick, with a finer textured soil horizon below.
F	Moderate to Well	Sand to loamy sand surface layer greater than 20 inches thick, with a finer textured soil horizon below.
G	Excessive	Sand to loamy sand surface layer at least 100 inches thick.
H	Very Poor	High in decomposing plant residues, often an organic soil.
X*	Not Classified	Bottomland areas subject to prolonged or frequent inundation and/or highly altered/manipulated areas
Source: Jokela and Long 2015; *NFWFMD		

3.3 Silviculture Best Management Practices

As mentioned above, the District follows the Silviculture BMP Manual when conducting forestry and land management practices on District-owned lands. The FFS defines silviculture BMPs as, “the minimum standards necessary for protecting and maintaining the State’s water quality as well as certain wildlife habitat values, during forestry activities” (FDACS 2008). As such, they represent a balance between overall natural resource protection and forest resource use. The following subsections describe various components of the Silviculture BMP Manual that are germane to the District’s operations. Supporting information that further details the mechanics of applying specific BMPs are found in the Silviculture BMP Manual, which can be readily accessed via the following website: <https://www.freshfromflorida.com/Divisions-Offices/Florida-Forest-Service/Our-Forests/Best-Management-Practices-BMPs>.

3.3.1 Special Management Zone

The Special Management Zone (SMZ) is a BMP that consists of a specific area associated with a stream, lake, or other waterbody that is designated and maintained during silvicultural operations. Specifically, these zones provide buffering, shade, bank stability and erosion-control, as well as detritus and woody debris. They are intended to protect water quality by reducing or eliminating sediment, nutrients, logging

debris, chemicals, and water temperature fluctuations. They also maintain forest attributes that provide wildlife habitat. Widths of SMZs vary depending on the type and size of the waterbody, soils, and slope.

Specific SMZs are described as follows.

1. The Primary Zone varies between 35 and 200 feet and applies to perennial streams, lakes, and sinkholes, OFW, ONRW, Class I Waters, and, in some cases, wetlands. A primary zone generally prohibits clear-cut harvesting within 35 feet of perennial waters and within 50 feet of waters designated OFW, ONRW, or Class I. Other operational prescriptions also apply to forestry practices to protect water and natural resources.
2. The Secondary Zone applies to intermittent streams, lakes, and sinkholes. Unrestricted selective and clear-cut harvesting is allowable, but mechanical site preparation, operational fertilization, and aerial application or mist blowing of pesticide, are not. Loading decks or landings, log bunching points, road construction other than to cross a waterbody, and site preparation burning on slopes exceeding 18% are prohibited. These zones vary in width between 0 and 300 feet.
3. Stringers provide trees to be left on or near both banks of intermittent streams, lakes, and sinkholes to provide food, cover, nesting, and travel corridors for wildlife.

Other BMPs found in the Silviculture BMP Manual are detailed below and include practices for forest road planning, construction, drainage, and maintenance; stream crossings; timber harvesting; site preparation and planting; fire line construction and use; pesticide and fertilizer use; waste disposal; and wet weather operations. The Silviculture BMP Manual further includes specific provisions to protect wetlands, sinkholes, and canals. Separate forestry wildlife BMPs for state-imperiled species, which are associated with the BMP manual, are addressed below.

3.3.2 Road Planning, Construction, Drainage and Design

Public access and forest roads represent a potential source of long-term erosion and sedimentation. Permanent access roads are often accompanied by permanent drainage structures, e.g., culverts, bridges, and low water crossings, that are critical to maintaining appropriate water levels, flow rates, and flow patterns. Unmaintained or insufficiently maintained roads typically deteriorate at accelerated rates over time, which can result in increased sedimentation of streams, rivers, estuaries, ponds, lakes (receiving waters) on and off-property. A key to managing for water quality maintenance and improvement is to properly design, build, drain, and maintain forest roads so drainage structure capacity is not exceeded during storm events. The Silviculture BMP Manual provides extensive guidance regarding these topics. Fundamental principles and keys to success include:

- conducting road building and associated activities during dry periods, reducing and controlling the rate of water flow by intercepting and turning water out into the woods before it reaches receiving waters;
- providing stable and appropriately sized water conveyance structures (see Section 3.3.3);

- stabilizing exposed soil;
- monitoring road conditions, conveyance structures, and waterbody crossings on a routine basis; and
- conducting appropriate maintenance on roads and conveyance structures in a timely manner to maintain/improve water quality.

3.3.3 Water Conveyance Structures

The majority of water conveyance structures are associated with stream crossings, which represent the point at which a forest road or skid trail comes in contact with a waterbody. The use of some type of planned crossing is necessary to protect water quality at these locations. The District has numerous hydrologic facilities on District-owned lands, including culverts, bridges, and low-water crossings. The District desires that all water conveyance structures be constructed/replaced in compliance with the Silviculture BMP Manual. Careful consideration is given to selecting and installing the appropriate type of crossing at each site.

The principal objectives of a culverted stream crossing are to provide a dry surface even during periods of stormflow and to provide adequate conveyance of flow beneath the road fill so that impounding does not occur. In addition:

- the number of crossings should be minimized per stream and conveyance structures should be sited perpendicular to the flow at the narrowest section. This minimizes the area of disturbance and simplifies construction;
- any erodible fill material or other areas normally exposed to flowing water should be stabilized with rip-rap, vegetation, or other appropriate material following construction; and
- construction during wet periods and high-water conditions should be avoided.

The predominant crossings on District-owned lands are low water crossings, which are designed to maintain stream flow while allowing for a stable substrate for vehicular access under most conditions.

3.4 Threatened and Endangered Species

All District forestry and land management activities protect federal and state T&E species where they are known to occur on District-owned lands. District staff have access to geographic information system (GIS) data supplied by other agencies and NGOs that track known species occurrences. Where FWC offers assistance, the District may expand its BMPs to incorporate resource management guidelines published in the FWC Species Action Plan. These sources are periodically reviewed by District staff who utilize associated and pertinent data and information when formulating plans and conducting forest and land management activities. Construction projects such as recreation site development, restoration and

improvement, docks, piers, boardwalks, and parking lots typically go through a thorough T&E review as part of the Environmental Resource Permitting process.

This LMP considers species identified in the Florida Natural Areas Inventory's *FNAI Standard Data Report* (August 2019) that represent recently documented occurrences on District-owned lands and are also classified as T&E per the state or federal governments. Species identified by FNAI as documented historic (records greater than 20 years old), likely to occur, and potential occurrences are not considered herein.

3.4.1 State Best Management Practices for State-Listed Species

For state-listed species, the District follows the *Florida Forestry Wildlife Best Management Practices for State Imperiled Species Manual* (WBMP Manual). WBMPs are not a means of species recovery or expansion or of habitat restoration but are a means of protecting species determined to be present on managed lands. Silvicultural practices can be beneficial to the conservation of fish and wildlife, including many of the state's imperiled species. The WBMP Manual was developed to enhance silviculture's contribution to the conservation and management of terrestrial and aquatic wildlife and the functionality of associated ecosystems. The WBMP Manual reflects a balance between natural resource conservation and forest resource utilization and serve to benefit a multitude of species.

The District follows the WBMPs when completing land management practices on District-owned lands, where appropriate. The WBMP Manual provides extensive guidance per species. Species having known ranges that coincide with District-owned lands are listed below. As detailed in the WBMP Manual, burrows, nests, and rookeries are not required to be located prior to silviculture operations, and specific surveys to determine the presence/absence of state-imperiled species are not required. In addition, fundamental principles and keys to success include: 1) maintaining important habitat features, e.g., snags for some species, while conducting management activities such as harvesting (includes thinning), site preparation, and/or burning; 2) siting heavy equipment operational areas, (log decks, landings, and main skid trails) away from known and visibly apparent active burrows, nests, and rookeries; 3) advising heavy equipment operators to avoid direct contact (year-round) with all known and visibly apparent burrows, nests, and rookeries; and 4) when practical, minimizing the use of heavy equipment during breeding/fledging seasons.

Details regarding specific WBMPs can be found at the following website: <https://www.freshfromflorida.com/content/download/81186/2341323/FFSWBMPSurvey2017Report.pdf>.

3.4.1.1 State-Imperiled Aquatic Species

Ten (10) state-imperiled species are in the Aquatic Species category and are generally associated with flowing streams. Seven (7) of 10 state-imperiled aquatic species have ranges that coincide with District-owned lands: crystal darter (*Crystallaria asprella*), harlequin darter (*Etheostoma histrio*), bluenose shiner (*Pteronotropis welaka*), blackmouth shiner (*Notropis melanostomus*), Barbour's map turtle (*Graptemys barbouri*), Florida bog frog (*Lithobates okaloosae*), and the Georgia blind salamander (*Eurycea wallacei*). At this time, the District does not conduct any land management activities, e.g., timber harvests, within the habitat of any of these species. Land management activities conducted on District-owned lands contribute to the overall conservation strategy for these species.

3.4.1.2 State-Imperiled Burrowing Animals Species

Two state-imperiled species are in the Burrowing Animals species category and are generally associated with both forested and open area uplands. Only the gopher tortoise (*Gopherus polyphemus*) is within District-owned lands.

3.4.1.3 State-Imperiled Nesting Bird

Four state-imperiled species are in the Nesting Birds species category and are associated with both forested wetlands and uplands. Specifically, they include little blue heron (*Egretta caerulea*), tricolored heron (*Egretta tricolor*), Florida sandhill crane (*Antigone canadensis pratensis*), and southeastern American kestrel (*Falco sparverius Paulus*). According to the WBMP manual, most instances of incidental take are the result of disturbances to wading bird rookeries and southeastern American kestrel or Florida sandhill crane nests during certain periods of the year. Such disturbances include damaging or removing nest trees, excessive noise from machinery located in proximity, and frequent human presence. By following the WBMPs during land management activities, there is an assumption that there would be no incidental takes.

3.4.2 Federally Protected Species

In addition to state-imperiled species, the District is aware of and avoids taking federally protected species that are known to occur on District-owned lands. In support of and inherent to their land management processes, District staff periodically check multiple websites maintained by the USFWS Panama City Beach Field Office, FNAI, FDACS, and FWC. Data and information contained on these websites (and others) are focused on wildlife and plant species that are protected under the federal Endangered Species Act, the federal Bald and Golden Eagle Protection Act, and the Migratory Bird Treaty Act.

3.5 Forest Management

District-owned lands are partitioned into three regions and ten WMAs that are further divided into stands for forest management. As of July 2019, there are 1,999 stands within all District-owned lands.

3.5.1 Forest Data Management

On District-owned lands where silviculture is an intrinsic component of overall upland management, field-based timber inventories are conducted. The District has developed the “District Pine Forest Inventory - Plot Procedure Specifications,” which describes standards and processes to be followed during data collection while conducting pine and hardwood forest inventories. Data are typically collected using mobile data collection software and stored in the District’s timber management database. These data are used in generating timber volumes, projecting growth, potential timber revenues, stand/stock tables, future growth and yield models, etc. These values are verified and incorporated into the District’s timber management database. Changes that may occur over time within timber stands are recorded in an events management system and include changes associated with harvests, natural disturbances, herbicide treatments, burning, and reforestation activities. This information is used to help land management staff forecast land management needs.

3.5.2 Timber Management

The District timber management practices guide staff in planning, implementing, and overseeing silvicultural operations such as timber harvests, site preparation, and reforestation. All silvicultural operations are intended to improve or maintain the Condition Class and forest health of historically pine-dominated natural communities. Professional forestry consultants are utilized as needed to help the District meet timber management goals.

Timber harvesting is a silvicultural practice implemented on District-owned lands for upland pine management. These operations are used to restore and improve pine forest health and vigor while generating revenue to support land management activities. Pine stands targeted for harvest are those that comprise off-site species, those that are overly stocked, and/or are dominated by older trees with large volumes of timber (potentially unhealthy and prone to infestations by damaging insects).

At a minimum, the District implements timber harvests to protect the public's investment in the pine forest asset as well as to protect water resources. To ensure commercial harvests provide the maximum financial returns, the District considers timber market reports and market insights provided by forestry consultants. Timber security measures and suitable performance bonds are implemented on all timber harvests to protect the public investment and potential financial returns.

Thinnings are intended to generate higher valued products such as sawtimber, to increase revenue potential, and to maintain stand health. Initial thinnings are conducted to upgrade or improve stand quality, i.e., remove diseased, crooked, forked, suppressed, unhealthy, or poor-quality trees. Retained or "leave trees" should provide for the long-term health and productivity of the stand. The first thinning is pivotal as it drives the growth rate for the rest of the rotation. It should occur shortly after tree crowns start to close or touch. Live crown ratio is the percentage of a tree's height occupied by live branches. In southern pines, optimum growth and vigor are maintained when the live crown comprises at least 40% of tree height (40% live crown ratio). Thinning is not advisable for sand pine since it does not alter the growth curve, does not yield an upgrade in product class, and increases the residual stand's susceptibility to windthrow. Loblolly pine typically exhibits a positive response to thinning in terms of product class and growth. Failure to thin loblolly pine at appropriate times increases its susceptibility and exposure to stand-damaging bark beetles. Slash pine has a relatively narrow thinning window. If this window is missed, crowns thin and shorten, which leads to stagnation and little chance of a future positive growth response to thinning. The number of trees to cut depends on initial stand density, site quality, and management objectives. A thinning should reduce stand density to ensure that individual tree growth is maximized without sacrificing full utility of the site.

Historically, the District has purchased lands comprising sand, slash, and loblolly pine that have been managed via even-aged silvicultural systems. Sand pine (planted at high densities on droughty, low productivity sites) is typically left to grow for about 25 years (not normally thinned) and then clearcut. These stands are evaluated for restoration following clearcut and are usually converted to longleaf, slash, or loblolly pine based upon soil type. Slash and loblolly pine are managed as either even-aged or uneven-aged depending on stand history. Stands acquired outside of recommended thinning windows will be clearcut and replanted to initiate long-term, uneven-aged management through intermittent thinning and planting. Stands currently within recommended thinning schedules will be managed as uneven-aged

through periodic thinning and underplanting. Slash and loblolly pine stands tend to occupy richer, more productive sites and sawtimber rotation lengths are predominantly shorter than on poorer sites where longleaf pine is managed. Slash and loblolly pine first thinnings yield mainly pulpwood while second thinnings produce both pulpwood and chip-n-saw product classes. Slash and loblolly pine stands are usually harvest cut within five to seven years of the second thinning and a rotation age of approximately 30 to 35 years is typical. The District manages longleaf pine under either a two-aged or an uneven-aged system. As such, longleaf pine stands do not have a predetermined rotation age, periodic harvests are specific to growth and regeneration needs, and two or more age classes are always present. The result is a mosaic of tree ages and sizes within any given stand such that a continuous overstory cover is maintained through time.

District timber management also includes reforestation operations. All reforestation operations utilize site preparation and planting techniques that promote maximum seedling survival rates and meet state water quality standards.

3.5.2.1 Sand Pine

District-owned sand pine plantations are being converted to other pines based on soil type and associated characteristics. The only activity currently planned for these stands is clearcut and reforestation. Clearcuts can be authorized when stand timber volume averages at least 22 tons per acre and should be accomplished prior to reaching 40 tons per acre. When clearcutting, the District limits the number of log decks and does not allow the piling of woody debris generated through harvesting. Woody debris must be scattered evenly across the harvested area as possible additional fuel for site prep burns and to distribute nutrients from the decomposition of organic materials across the stand. Current plans indicate that the majority of the sand pine stands will be harvested over the next 17-year period. Clearcut sand pine stands are typically converted to longleaf pine. The primary steps involved in preparing a site for reforestation include the application of herbicides to reduce hardwood competition and site preparation for prescribed burns.

3.5.2.2 Longleaf Pine

Longleaf pine stands are managed on a long-term basis to promote structural and compositional diversity, especially as it concerns native groundcover vegetation. Longleaf pine sites are prepared for reforestation similar to methods used when converting sand pine to other pine types. Longleaf pine stands are typically planted at a density of 726 trees per acre. Timber stand improvements are generally conducted three to seven years after planting and generally include sand pine eradication by hand cutting. Some young stands may also need follow-up hardwood control treatments by hand cutting or herbicide. Selective thinning (individual tree as opposed to row thinning) will be conducted when average pine basal area exceeds 120 square feet per acre (ft²/acre) and projected harvest volumes are greater than 22 tons per acre. Targeted basal area after selective thinning is 70 ft²/acre. The District has established a default three-year burn cycle for longleaf pine stands that can be adjusted based on the recommendation of the regional forest operations supervisor. The initial prescribed burn generally occurs three years following reforestation.

3.5.2.3 Slash/Loblolly Pine

Slash and loblolly pine plantations will be managed at low densities and converted to uneven-aged structures while effectively realizing potential revenue streams. Slash/loblolly stands are prepared for

reforestation as described above. Slash and loblolly pine stands are generally established at a planting density of 908 to 1,210 trees per acre. Clearcuts can be authorized when stands are at least 25 years old. Minimum harvest volume is 15 tons per acre and should be accomplished prior to reaching 40 tons per acre. Initial thinning (individual tree selections as opposed to row thinning) will be conducted when stands are 12 to 19 years old or when basal area exceeds 110 ft²/acre for slash pine and 120 ft²/acre for loblolly and harvest volumes are greater than 22 tons per acre. Targeted residual basal area after initial thinning is 70 ft²/acre. Intermediate thinning (individual tree selections) will be conducted when stands are 20 to 26 years old or when basal area exceeds 100 ft²/acre and harvest volumes are greater than 22 tons per acre. Targeted residual basal area after intermediate thinning is 50 ft²/acre. The District has established a default three-year burn cycle that can be adjusted based on the recommendation of the regional forest operations supervisor with the initial burn occurring three years following reforestation. The initial burn should be scheduled after 15 years of establishment.

3.5.3 Invasive/Exotic Species Management

A wide variety of non-native species inhabit the natural communities of Florida. The District's management approach directly affects invasive species and provides mechanisms to prevent their persistence and spread to surrounding areas. Appendix F provides a list of potential Category I and II plant species on District-owned lands.

To protect District-owned lands from the potential spread of invasive/exotic vegetation, staff utilizes a "Come Clean, Leave Clean" standard for all contractual work. All equipment used on District-owned lands must be free of Florida Exotic Pest Plant Council Category I and II invasive exotic material.

3.5.4 Forest Pest Management

Forest pest management on District-managed lands is primarily accomplished by maintaining healthy vigorous stands with the appropriate species for the site. Healthy vigorous stands are less likely to suffer from epidemic outbreaks of damaging pests and pathogens than stands that are stressed by lack of nutrients or overstocked conditions. As part of their regular duties, District foresters and other land managers keep an eye out for forest pest infestations or outbreaks and take appropriate actions as needed.

3.5.5 Vegetation Management and Fuel Loading

The District actively manages understory vegetation for fuel loadings using three distinct control methods: mechanical, chemical, and prescribed fire. In communities that were historically fire adapted, the District utilizes prescribed fire as the foremost method to control understory vegetation. When prescribed fire is not suitable or circumstances exist that preclude the use of prescribed fire, the District utilizes mechanical or chemical measures to maintain the fuel loads so prescribed fire can be used. All vegetative management methods will consider Condition Class guidelines.

The District's prescribed fire practices address fuel load management. To prevent an over-accumulation of fuels, the District aims to burn stands within the preferred burn cycle per Condition Class as identified in the events management system and prescribed by the regional forester. Undesirable tree/shrub species often require management through mechanical treatments such as mowing and chopping, timber stand

improvement, and hand clearing. These techniques may be used in areas that have high fuel loading and/or are adjacent to smoke sensitive zones. Fuel load management promotes the ecological functions of the natural community and prevents catastrophic wildfires.

When chemical herbicide operations are conducted on District-owned lands, applicators are required to follow all federal, state, and local regulations. No chemical herbicide applications will exceed the labeled rates on the herbicide containers. At a minimum, all mechanical operations must follow silviculture BMPs.

3.5.6 Prescribed Burning

Fire is a vital factor in managing the character and composition of vegetation in many of Florida's natural communities. The District's primary use of fire is to manage fuel loading to reduce wildfire risks and competition for nutrients. It also mimics natural fire regimes and encourages the proliferation of native pyric plant communities and dependent wildlife. Additionally, the application of fire aids in the reduction of fuels and minimizes the potential for catastrophic and damaging wildfires. Most of the upland communities on District-owned lands are fire adapted, making prescribed fire the primary tool for use in the restoration and maintenance of plant communities. Forest and fire management activities within District-owned lands are linked. The coordinated implementation of forest and fire management activities is necessary to achieve management objectives.

The District has developed a model to optimize burn scheduling, based upon the modeling cycle and operational efficiency, to bring District-owned lands into compliance with the preferred burn cycle. Acres that are out of compliance have a higher cost to attain the preferred burn cycle due to the need for mechanical or chemical intervention prior to burning. From this modeling effort, a 10-year plan was developed to get all District-owned lands into and maintained in its preferred burn cycle. To accomplish this, the District proposes to burn/treat between 4,500 and 12,000 acres annually.

Burning will occur on District lands either in the dormant season or the growing season. Growing season burns are preferred since they provide a better kill on hardwood root systems; this is important if the management objective is to move the forest to predominantly pine. Dormant season burns may have the same effect in some cases, but normally they only "top-kill" the hardwoods, leaving the roots to re-sprout.

Since the District is moving toward a pine forest ecosystem, the growing season burns are the most effective and will be utilized whenever possible. Based on the burn objectives, the District has made significant strides in returning regular growing season burns to the landscape. The District will continue to implement growing season burns where possible, understanding that constraints related to young pine stands, high fuel loadings, organic soils, and proximity to smoke sensitive areas may require the use of dormant season burns in some cases. The District uses contractors and in-house resources to implement prescribed burns.

Smoke management is a primary consideration and all burns are conducted to minimize off-site impacts by maneuvering smoke plumes away from smoke sensitive areas and by ensuring adequate smoke dispersal. While prescribed fire is the preferred tool for managing, restoring, enhancing, and maintaining natural communities, alternative methods are sometimes necessary. As such, the District uses selective herbicide treatments, silvicultural thinning, mowing, mulching, and roller chopping in combination with fire as part of an integrated approach to restoring, creating, and maintaining appropriate Condition Class desired conditions.

3.6 Public Use Management

District-owned lands provide an extensive set of resource-based recreational opportunities. These public uses take into account the protection of important natural resources, the proximity of similar recreational opportunities, the time and financial requirements to meet recreational standards, and public demand for the particular use. Typically, the location, physical condition, and resource sensitivity of a particular tract determines its recreational level of development in one of the following public use classifications: passive, primitive, general, or featured. The District strives to ensure that recreational facilities are compliant with the provisions of the Americans with Disabilities Act, wherever feasible.

Periodic inspections of these facilities are required to ensure the safety, maintenance, and longevity of each facility. District staff have established the following general guideline restrictions for recreational users of District-owned lands.

- District lands are open during daylight hours every day (unless otherwise posted, i.e., authorized by permit only).
- Possession and consumption of alcoholic beverages is prohibited on the Perdido River and Econfina Creek WMAs, in the Holmes Creek Unit of the Choctawhatchee River WMA, and in the Lower Chipola River WMA (Altha Tract).
- ATVs and non-street-legal vehicles are prohibited.
- Dumping of trash and littering is prohibited.
- Pets must be kept on a leash; no free-roaming dogs (unless otherwise authorized).
- The possession of firearms or other similar devices must comply with Chapter 790, F. S.
- Removal or disturbance of trees, plants, soil, minerals, or cultural resources is prohibited.

3.7 District Project Prioritization and Development

As indicated previously, a strength of the District is the development of effective partnerships and cooperative relationships with other governmental and private organizations with complementary functions and authority. As a result, potential projects can come from a variety of entities including individual citizens, organized user groups, and local governments, as well as various potential funding sources. These projects are typically developable if the net result protects existing resources in particular water resources. The District works with its managing partners during the design and development of the project.

Project proposals are evaluated to determine if they meet the overall mission of the District to protect water resources and if the project increases or protects public access. In addition, the project proposal is evaluated

against the District's strategic priorities as outlined in the *District's Strategic Water Management Plan*. These priorities are accomplished through coordinated activities within each of the agency's major divisions: Land Management and Acquisition, Resource Management, Regulatory Services, and Administration. All projects are reviewed by the Board from a budgetary standpoint, particularly, if the proposal is sensitive in nature, requires the use of or potential impact to regional resources, or necessitates District staffing, maintenance, or other District financial obligations.

3.8 Historical and Archaeological Resources

The District provides protection and preservation for known historical resources on District lands. For improvements and management practices other than forest management practices, the District will provide the DHR with reasonable opportunity to comment on site improvement activities on state-owned or District-owned lands.

Chapters 267 and 872, F.S., provide protection for historical resources and unmarked burials. In the event that historical features or artifacts are encountered during project activities, finds will be reported to the DHR. At the direction of and the expense of DHR, newly discovered sites will be recorded in the Florida Master Site File (FMSF). Human remains from individuals who have been deceased over 75 years are protected under §872.05, F.S. In the event that human remains are inadvertently discovered, District personnel are trained to follow procedures outlined in §872.05, F.S., notifying the local district Medical Examiner and the office of the State Archaeologist at DHR.

3.9 Asset Management

The District is in the process of developing an Asset Management Database (GIS database) to inventory and track District assets. The Asset Management Database is for non-timber assets including, but not limited to, roads, culverts, fences, gates, and campsite amenities. The database allows for the recording and reporting of maintenance issues and projects, such as public recreation improvements. District staff will use the database to assess the level of effort and budgetary requirements to maintain, repair, and construct District assets. District management will be provided notification at various project stages and a dashboard on overall status. To date, the District has implemented Phase I which includes a beta version of the Asset Management Database complete with data dictionary and field collection applications. Phase II is currently under development which will contain database schema enhancements, operational workflow management, and dashboarding.

This page left blank intentionally.

4 East Region

This section is a description of the East Region and provides details for the three WMAs: Apalachicola River, Chipola River, and Elinor Klapp-Phipps Park. Each WMA section describes natural and cultural resources, resource management philosophies, management actions and strategies, and current and upcoming project activities.

4.1 Description of the East Region

The District's East Region landholdings comprise 46,281 acres or 22% of all District-owned lands and includes lands in Leon, Gulf, Liberty, Calhoun, and Jackson counties (Figure 4-1). Of the District-owned lands within the East Region, 44,281 acres (approximately 96%) are floodplains and 1,909 acres (approximately 4%) are uplands (Table 4-1).

Table 4-1 East Region Lands by WMA and Generalized Forest Type				
East Region WMA	Total Acres	Upland Acres	Floodplain Acres	Open Acres
Apalachicola River	36,823	141	36,682	-
Chipola River	8,916	1,354	7,557	5
Elinor Klapp-Phipps Park	542	415	42	85
East Region Totals	46,281	1,910	44,281	90
Source: Data originated from the District's geodatabase; acreage is calculated using UTM [Universal Transverse Mercator Zone] 16N.				


Together, these three WMAs illustrate the diversity in the types of resources present and management required. For instance, two of the WMAs are represented primarily by floodplains associated with the Apalachicola and Chipola rivers, two of the larger rivers in Florida. In contrast, the Elinor Klapp-Phipps tract represents a large primarily upland tract (77%) owned by the District and managed in cooperation with the City of Tallahassee under the City's park system.

Other publicly owned and conservation lands represent a significant portion of lands within the region. These include Tate's Hell State Forest (FFS) and the Apalachicola River Wildlife and Environmental Area (FWC). Three aquatic preserves, the Apalachicola Bay Aquatic Preserve, Alligator Harbor Aquatic Preserve, and Lake Jackson Aquatic Preserve are managed by FDEP's Florida Coastal Office. Some of the State Parks include Torreya, Florida Caverns, Three Rivers, and St. George Island state parks. Federally managed areas include the Apalachicola National Estuarine Research Reserve, St. Vincent National Wildlife Refuge on St. Vincent Island, and the Apalachicola National Forest. Private conservation lands include The Nature Conservancy's Bluffs and Ravines Preserve. Local government-maintained parklands and other state, federal, and private conservation lands are also in the East Region.



- Interstates
- Rivers
- District Lands
- District Counties

East Region of the Northwest Florida Water Management District



4.2 Apalachicola River WMA

The southern portion of the Apalachicola River WMA is approximately 19 miles long and contains 35,209 acres of floodplains along the Apalachicola River in Gulf and Liberty counties (Figure 4-1). In all, the Apalachicola River and Apalachicola Bay watershed encompasses 2,850 square miles or 1,824,045 acres in north Florida.

The Apalachicola River floodplains are the largest in Florida and one of the larger floodplains on the Gulf Coast. Although floodplains and wetlands are usually considered the least desirable in terms of real estate value, they are often some of the most valuable areas in terms of providing ecosystem services.

Initial land acquisitions for the Apalachicola WMA occurred in 1985 and the latest acquisition occurred in 2011. Large portions of the river's forested floodplain are protected by state and federal governments and private entities. Florida River Island is a popular 5,800-acre floodplain island owned by the District in the Apalachicola River floodplain and includes an adjacent developed recreation site with primitive camping, a day-use area, and boat ramp access to Florida River.

The northern portion of the Apalachicola WMA contains the 1,313-acre Beaverdam Creek Wildlife Management Area which borders the Nature Conservancy's Apalachicola Bluffs and Ravines Preserve, Torreya State Park, and private lands under conservation easements that conserve the rich biological diversity unique to this part of Florida and help protect the water quality of the river and its tributaries. Beaverdam Creek is a shallow stream that enters the property from the east and meanders south to the Apalachicola River. This area contains an extensive floodplain, steep bluffs, slope forest, shallow steephead streams, and rare plants. These areas are considered to be Special Management Zones and the District will follow Silvicultural BMPs as discussed in Section 3.3.1 and detailed in the Silvicultural BMP Manual.

4.2.1 Property Resources

This section provides descriptions of the natural and cultural resources present in the Apalachicola WMA.

4.2.1.1 Physiographic Features

The Apalachicola River lies entirely within the lower Coastal Plain physiographic province and is the only Florida river system originating in the Piedmont and southern Appalachian Mountains. Geologically, the river links the coastal plain and the Gulf Coast with the Appalachian Mountains. The basin spans two broad physiographic regions: Gulf Atlantic Rolling Plain and the Gulf-Atlantic Coastal Flats (Leitman et al. 1984). Within these regions, the watershed spans portions of the Northern Highlands, Marianna Lowlands, and Gulf Coastal Lowlands (Pratt et al. 1996). The Northern Highlands consist of the Tallahassee Hills, New Hope Ridge, Grand Ridge, and the Apalachicola Bluff region. The Marianna Lowlands interrupt the Northern Highlands, but the continuity of the Highlands is maintained by New Hope Ridge and Grand Ridge south of the Marianna Lowlands. The Tallahassee Hills and Gulf Coastal Lowlands are separated by the Cody Scarp.

4.2.1.2 Unique or Important Natural or Physical Features

The Apalachicola River WMA encompasses a diversity of natural habitats, including extensive floodplain forests as well as upland communities. Other unique or important features include slope forest, steephead ravines, diverse wetland communities, sandhill, scrub, and mixed hardwood forests. The associated slope forests such as those found on the Beaverdam Creek Wildlife Management Area are included in one of the six biodiversity hotspots in the United States designated by The Nature Conservancy. State-listed plants (identified below) have been documented within forested communities on the WMA.

4.2.1.3 Threatened and Endangered Species

Listed species documented in the WMA include: Gholson's blazing star (*Liatris gholsonii*), Ashe's magnolia (*Magnolia ashei*), croomia (*Croomia pauciflora*), silky camelia (*Stewartia malacodendron*), and Thorne's buckthorn (*Sideroxylon thornei*). Florida torreya (*Torreya taxifolia*) and Florida yew (*Taxus floridana*) are endemic to the region and are documented as occurring on the Beaverdam Creek Wildlife Management Area. The District continues to recognize the importance of these species and remains committed to accommodating these species when making management decisions.

4.2.1.4 Non-Native Invasive Species

Two of the most harmful non-native invasive species within the Apalachicola River WMA floodplains and wetlands are Japanese climbing fern (*Lygodium japonicum*) and feral hog (*Sus scrofa*). Japanese climbing fern is the most prevalent non-native invasive plant species in the Apalachicola River WMA. Japanese climbing fern spreads by spores, making it extremely difficult to control. Feral hogs may exacerbate the populations of Japanese climbing fern and other non-native invasive plants when soil is disturbed by their rooting and wallowing habits. Feral hog behavior also can cause erosion and increased sedimentation of water sources. Non-native invasive species found in upland habitats include Japanese climbing fern, Chinese tallow, coral ardisia (*Ardisia crenata*), feral hog, wandering Jew (*Tradescantia fluminensis*), and nandina (*Nandina domestica*).

4.2.1.5 Archaeological and Historical Resources

Thirty-eight archaeological sites are recorded on the Apalachicola WMA (Appendix G), which indicate a long span of human use. Sites representing Early Archaic, Middle Archaic, Late Archaic, Deptford, Swift Creek, Weeden Island, Fort Walton, nineteenth century, and twentieth century occupations are known and represent nearly every time period in Florida. Additional yet-to-be identified sites dating to the Paleoindian or early historic periods likely exist.

Four of these sites are significant under Criterion D of the National Register of Historic Places (NRHP), as they have the potential to yield important information. The Florida State Historic Preservation Officer (SHPO) has evaluated four sites as Eligible for the NRHP: LI00076, LI00569, LI00570, and LI00572. While GU00004 and CA00005 have not been evaluated, human remains may be present. Additionally, GU00014, GU00094, and LI00573 show potential but have not been evaluated or lack sufficient information for an evaluation of NRHP eligibility. LI00076 is a Weeden Island habitation site, with components also indicating occupations dating to the Late Archaic, Early to Late Woodland, and Fort

Walton to Protohistoric. LI00569 is a moderate-density lithic scatter and low-density Woodland scatter representing camps and small habitation sites. LI00570, also a moderate-density lithic scatter, is a Late Archaic site. Lastly, LI00572 is a low-density Fort Walton-period habitation area.

Seventeen (17) archaeological and historical surveys have been conducted within the Apalachicola River WMA. The manuscripts are on file at the FMSF and copies are available to the District. Staff are familiar with surveys and recorded resources in Apalachicola WMA and will assist in recording newly identified resources with the FMSF.

4.2.1.6 Forest Resources

The Apalachicola WMA is heavily focused on floodplain protection. Interspersed in this floodplain matrix are a few relatively small pockets of upland forests primarily located along the east side of the Apalachicola WMA. As such, the largest percentage of forest resources in the Apalachicola WMA can be characterized as lowland hardwood (Table 4-2 and Figure 4-2A and 4-2B).

Table 4-2 Forest Resource Type, Acres and Percent within the Apalachicola River WMA	
Forested Community	Acres
Lowland Hardwood	36,382
Hardwood-Loblolly	28
Slash Pine	21
Loblolly Pine	92
Non-Forest	300
Total	36,823

CALHOUN

Chipola

22

Wewahitchka

71

GULF

LIBERTY


65


FRANKLIN

Apalachicola

- | | |
|--------------------|-------------------|
| Rivers | Pine Hardwood Mix |
| US Highways | Hardwood-Longleaf |
| District Counties | Hardwood-Slash |
| Incorporated Areas | Hardwood-Loblolly |
| Longleaf Pine | Hardwood-Sand |
| Loblolly Pine | Upland Hardwood |
| Slash Pine | Lowland Hardwood |
| Sand Pine | Infrastructure |
| Spruce Pine | Open |
| | Out Parcel |

Apalachicola River Water Management Area Forest Resources





- | | |
|----------------------|---------------------|
| — Rivers | ■ Pine Hardwood Mix |
| — US Highways | ■ Hardwood-Longleaf |
| ■ District Counties | ■ Hardwood-Slash |
| ■ Incorporated Areas | ■ Hardwood-Loblolly |
| ■ Longleaf Pine | ■ Hardwood-Sand |
| ■ Loblolly Pine | ■ Upland Hardwood |
| ■ Slash Pine | ■ Lowland Hardwood |
| ■ Sand Pine | ■ Infrastructure |
| ■ Spruce Pine | ■ Open |
| | ■ Out Parcel |

Apalachicola River Water Management Area Beaverdam Tract Forest Resources



4.2.1.7 Soils

Soils in the Apalachicola WMA have been identified according to the CRIFF system, which is described in Section 3.2.5, summarized below in Table 4-3, and illustrated on Figure 4-3A and Figure 4-3B.


Table 4-3 CRIFF Soils and Acreages on the Apalachicola River WMA			
CRIFF Soil Group	Drainage	Important Feature	Acreage
A	Very poor to somewhat poor	Sand to loamy sand surface layer less than 20 inches thick, with a finer textured soil horizon below.	5,963
B	Very poor to somewhat poor	Sand to loamy sand surface layer greater than 20 inches thick, with a finer textured soil horizon below.	30,522
E	Moderate to Well	Sand to loamy sand surface layer less than 20 inches thick, with a finer textured soil horizon below.	38
X	Not Classified	Bottomland areas subject to prolonged or frequent inundation and/or highly altered/manipulated areas	300
Total			36,823

4.2.1.8 Public Recreation

The Apalachicola WMA contains sloughs, creeks, floodplain lakes, primitive campsites, boat ramps, and canoe launches for public access. In general, recreational opportunities within the Apalachicola WMA include hunting, camping, boating, picnicking, fishing, paddling, hiking, biking, and wildlife viewing. Two developed recreation sites in the Apalachicola WMA include the Beaverdam Creek Wildlife Management Area boat ramp and the Florida River Island Recreation Area (Figure 4-4).

The Beaverdam Creek Wildlife Management Area is located along the Apalachicola River in Liberty County north of Bristol and offers seasonal hunting, a boat launch, fishing, paddling, hiking, biking, and wildlife viewing. Motorized vehicles are allowed on designated roads only.

Florida River Island is an island in the Apalachicola River floodplain that is accessible during normal-to-low water conditions by crossing the Florida River bridge. Two improved roads are open to vehicles and a number of mowed unimproved roads are open to pedestrian use. During and after high-water events, the gate at the Florida River bridge is closed to prevent vehicle access due to wet conditions on the island. Pedestrian and boat access is allowed at those times. On the east end of the Florida River bridge is a developed recreation site with a day-use picnic area, boat ramp, composting toilet, and 10 primitive campsites that are available by reservation only. In addition to the designated primitive campsites at the Florida River Island Recreation Area, dispersed (backcountry) camping is allowed throughout the Apalachicola River WMA, with the exception of the Beaverdam Creek Wildlife Management Area.




Apalachicola River Water Management Area CRIFF Soil Resources



- | | |
|--------------------|---|
| Rivers | C |
| US Highways | D |
| District Counties | E |
| Incorporated Areas | F |
| A | G |
| B | H |
| | X |

*CRIFF Soil descriptions can be found in Section 3.2.5 of the Northwest Florida Water Management District Land Management Plan



— Rivers

— US Highways

□ District Counties

■ Incorporated Areas

■ A

■ B

■ C

■ D

■ E


■ F


■ G

■ H


■ X


Apalachicola River Water Management Area Beaverdam Tract CRIFF Soil Resources











0 10 20 40 Miles
















*CRIFF Soil descriptions can be found in Section 3.2.5 of the Northwest Florida Water Management District Land Management Plan



-  Recreation Sites
-  District Counties
-  Rivers
-  District Lands
-  US Highways
-  Incorporated Areas

Recreational Activities

- | | | |
|--|--|--|
|  Hiking |  Canoe Launch |  Fishing |
|  Picnic Area |  Boat Ramp |  Hunting |
|  Wildlife |  Boating |  RV Camping |
|  Camping |  Canoeing |  Restrooms |

Apalachicola River Water Management Area Recreation Resources



4.2.2 Resource Management Philosophy

The resource management philosophy for the Apalachicola River WMA is primarily focused on the protection and preservation of the existing natural resources specific to maintaining water quality, water quantity, and aquatic resources within the Apalachicola River, as well as vegetation such as old growth trees of varying species and ground-cover species. The philosophy also encompasses protection of T&E species.

4.2.3 Management Actions and Strategies

The Apalachicola River WMA is predominantly associated with floodplains along the river acquired to protect the waters of the Apalachicola River. However, approximately 141 acres of scattered uplands are located throughout the Apalachicola WMA. A brief description of primary management actions and strategies and how they correlate with the District's goals and objectives as identified in Section 2.3 are provided below in Table 4-4.

Table 4-4 Management Goals, Objectives, and Current and Upcoming Projects and Contracts on the Apalachicola River WMA			
District Goal	Program	District Objectives	Current and Upcoming Projects and Contracts
Water Resource Protection	Floodplain/Wetland Protection	<ul style="list-style-type: none">▪ Protect surface and groundwater quality▪ Protect groundwater recharge▪ Protect floodplain functions▪ Support water resource restoration	
Resource Management	Forest Management	<ul style="list-style-type: none">▪ Manage to attain an uneven-aged and vertically diverse forest; e.g., retain snags and dominant and/or old growth trees▪ Reforest to protect water resources using appropriate tree species per CRIF▪ Maintain an accurate and current pine forest resource inventory▪ Ensure commercial harvests optimize financial returns while protecting District water resources protection goals▪ Ensure District lands are prescribe-burned in accordance with preferred burn cycles	<ul style="list-style-type: none">▪ Prescribed burning▪ Timber thinning
Resource Management	Reforestation and Groundcover Restoration	<ul style="list-style-type: none">▪ Reduce degradation of the existing native groundcover▪ Observe grass, herbaceous, and shrub layers to determine if stand Condition Class is in/out of the accepted range	

Table 4-4 Management Goals, Objectives, and Current and Upcoming Projects and Contracts on the Apalachicola River WMA

District Goal	Program	District Objectives	Current and Upcoming Projects and Contracts
		<ul style="list-style-type: none"> Encourage the re-establishment of native groundcover species 	
Resource Management	Protection of Threatened and Endangered Species	<ul style="list-style-type: none"> Protect listed species on District lands If a species is known to exist on District lands, implement appropriate BMPs On District-owned lands where the FWC has a presence, the District will coordinate with FWC biologists for known locations of T&E species prior to silviculture operations 	<ul style="list-style-type: none"> Identifying the location of T&E species at Beaverdam Creek Wildlife Management Area – Torreya trees
Resource Management	Control of Invasive and Non-Native Plants and Animals	<ul style="list-style-type: none"> Manage and eliminate invasive and non-native plants and animals to the degree possible through grants, public hunting, and herbicide application by District land managers. 	<ul style="list-style-type: none"> Controlling the feral hog population throughout the WMA by providing appropriate hunting opportunities Control invasive non-native plants Control and maintain vegetation around existing infrastructure (roads, firelines and fencing) with chemical and mechanical treatments
Public Access	Recreation/Access Management	<ul style="list-style-type: none"> Maintain parking areas, campsites, picnic areas, restrooms, kiosks, roads, bridges, and gates. Maintain current information on District website. Provide, maintain, and support an online reservation system for designated campsites. 	<ul style="list-style-type: none"> Signage/Kiosk at Beaverdam Creek Wildlife Management Area. Maintain Florida River Island per the Management Agreement with Liberty County. In-House – Recreational Site Cleaning. Clear downed trees and branches from the Florida River Island Roads. Clear downed trees and branches from the Pig & Coon Road. Repair the Pig & Coon Road up to and through the pine stand.

Table 4-4 Management Goals, Objectives, and Current and Upcoming Projects and Contracts on the Apalachicola River WMA			
District Goal	Program	District Objectives	Current and Upcoming Projects and Contracts
			<ul style="list-style-type: none"> Inspect, maintain and repair bridges and gates.
Key: CRIFF = Cooperative Research in Forest Fertilization. T&E = threatened and endangered. WMA = water management area.			

4.2.4 Special Resource Management Designations

In addition to the District's listed programs, several other management and monitoring programs occur within the East Region, along the Apalachicola River, and within/adjacent to the Apalachicola River WMA. These programs have been identified and are addressed as part of the *Apalachicola River and Bay SWIM Plan* and other long-term resource management plans (Table 4-5).

Table 4-5 Special Resource Designations and Programs within the Apalachicola River WMA		
Designation/Program	Description	Managing Agency
Watershed Management Planning	To achieve comprehensive and long-term success for Gulf restoration, The Nature Conservancy facilitated a community-based watershed management planning process in 2014 and 2015 along Florida's Gulf Coast for the following six watersheds: Perdido Bay, Pensacola Bay, Choctawhatchee Bay, St. Andrew and St. Joseph bays, Apalachicola to St. Marks, and the Springs Coast.	The Nature Conservancy
Florida Fish and Wildlife Conservation Commission - Fish and Wildlife Research Institute (FWC-FWRI) Long-term Monitoring (LTM)	The FWC-FWRI LTM program is a program designed to effectively assess the current status and future trends of fish species and environmental parameters in Florida's lentic and lotic systems. The primary mission of the program is to provide timely, accurate, and consistent fisheries independent data and analysis to fisheries managers for the conservation and protection of Florida's fisheries.	FWC/FWRI
Apalachicola Regional Stewardship Alliance (ARSA) Cooperative Invasive Species Management Area (CISMA)	ARSA cooperators will utilize this plan to determine strategic actions for the CISMA. Individual land managers are encouraged to use this document as a guide to implement strategies on their own sites. This method will be used as a management tool to protect the native flora and fauna of the Apalachicola River region and will serve as a model for other regions.	The Nature Conservancy
Spring Protection and Restoration	Since 2013, Florida has made substantial commitments to protecting and restoring Florida's springs, their ecological value, and associated public benefits. As of 2017, more than \$48 million in grant funds have been approved for projects in northwest Florida, leveraging more than \$22 million in additional local and federal funds. Projects funded in the Apalachicola River and Bay watershed include several restoration and protection projects for Jackson Blue Spring, including agricultural BMP cost-share grants and connection of residences currently served by septic systems to central sewer. Fee simple or	Northwest Florida Water Management District, Florida Department of Environmental Protection

Table 4-5 Special Resource Designations and Programs within the Apalachicola River WMA		
Designation/Program	Description	Managing Agency
	<p>conservation easement projects also are underway to increase the long-term protection of spring resources. Together, these efforts are expected to contribute substantially to other priorities identified in the Jackson Blue Spring and Merritts Mill Pond basin Basin Management Action Plan.</p> <p>The Florida Springs and Aquifer Protection Act of 2016 (373.801-373.813 Florida Statutes), furthers protection and restoration of Florida's ecologically significant spring ecosystems by defining requirements for Outstanding Florida Springs, including for protection of water quality, delineation of priority focus areas, and establishment of related minimum flows and minimum levels (MFLs). The 2016 Legislature also passed the Legacy Florida Act, which provides for recurring appropriations for spring restoration and protection statewide. Additional information on restoration and protection of springs is available at https://www.nfwfwater.com/Water-Resources/Springs/Restoration-and-Protection</p>	
Key: WMA = water management area.		

4.3 Chipola River WMA

The Chipola River is the third largest tributary to the Apalachicola River; its basin comprises approximately 1,280 square miles within Alabama and Florida. The Alabama portion of the Chipola River Basin is 259 square miles, which is approximately 20% of the entire drainage. The remaining 80% (1,021 square miles) in Florida constitutes over half of the Apalachicola River Basin.

The Chipola River WMA is approximately 18 miles long and contains a total of 8,916 acres. Eighty-five percent (85%) of the acres are classified as floodplains (along the Chipola River) and 15% of the WMA acres are considered upland (Figure 4-1). Further, the Chipola River WMA comprises two geographically separated tracts, the northern Upper Chipola Tract (7,544 acres) and the Lower Chipola River WMA (Altha Tract; 1,372 acres). In the aftermath of Hurricane Michael (October 2018), the District assessed and classified timber resources on the Lower Chipola River WMA (Altha Tract) as a complete loss. Pine trees on this tract will be clearcut and replanted in an appropriate mix of southern pine species while hardwood trees will be left to regenerate naturally.

4.3.1 Property Resources

This section provides specific description of the natural and cultural resources present in the Chipola WMA.

4.3.1.1 Physiographic Features

The Chipola River Basin lies entirely within the Coastal Plain Physiographic Province. This province consists of several distinct districts, including the Chipola River Basin, the Dougherty Plain, and Marianna Lowlands. Both the Marianna Lowlands and Dougherty Plain are characterized by limestone outcroppings and karst topography, which provides the many notable caves and sinkholes in the Chipola River Basin.

4.3.1.2 Unique or Important Natural or Physical Features

The Chipola River WMA is adjacent to other public lands offering significant recreational opportunities, including the Florida Caverns State Park in Marianna. The Chipola River WMA also contains freshwater springs, including second-magnitude springs, which provide natural, recreational, and economic benefits for residents and visitors. Similar to the Apalachicola, the Chipola River WMA encompasses a diversity of natural habitats including xeric upland longleaf pine forests, bottomland hardwood swamps, freshwater wetlands, and meandering creeks with multiple tributaries. These habitats support rich animal communities.

4.3.1.3 Threatened and Endangered Species

Listed species documented in the WMA include two state-listed plants: Florida flame azalea (*Rhododendron austrinum*) and ciliate-leaf tickseed (*Coreopsis integrifolia*).

4.3.1.4 Non-Native Invasive Species

The Chipola River WMA has a number of non-native invasive species, including Japanese climbing fern and feral hog, both of which have been documented in floodplain wetland communities of the Chipola River region. Japanese climbing fern is the most prevalent non-native invasive plant species in the CISMA. Non-native invasive species found in upland habitats include Chinese tallow, coral ardisia, wandering jew, and nandina.

4.3.1.5 Archaeological and Historical Resources

A total of 122 cultural resources are recorded on the Chipola WMA (Appendix G); these include 118 archaeological sites, two bridges, one cemetery, and one resource group. The known resources indicate a long span of human use of the lands now managed as the Chipola River WMA. Sites representing Dalton, Early Archaic, Middle Archaic, Late Archaic, Deptford, Swift Creek, Weeden Island, Fort Walton, nineteenth century, and twentieth century occupations are known, which represent nearly every time period in Florida. Terrestrial and underwater sites have been located, and many additional sites likely exist but have not yet been located.

Six of these sites are significant under Criterion D of the NRHP, as they have the potential to yield important information. The Florida SHPO has evaluated six sites as Eligible for the NRHP: CA00221, CA00234, CA00237, JA00096, JA00399, and JA01883. Thirty-one (31) sites have been evaluated as Not Eligible, and another 19 sites have not yet been evaluated. Sixty-three (63) resources have insufficient information for an evaluation of NRHP eligibility. Although JA00427 lacks sufficient information for evaluation, human remains may be present there.

The significant sites include one bridge, two Paleoindian or possibly Paleoindian sites, and Woodland and Archaic sites. JA00399 is a 1914 through truss bridge associated with Old Bellamy Road and the Chipola River. CA00234 is an early site with Paleoindian and Early Archaic artifacts as well as preserved fired clay. Also containing possible Paleoindian artifacts, JA00096 has Archaic and Woodland occupations. CA00221 is an Early Archaic campsite that may have earlier components. JA01883 is a campsite dating to the Middle


Archaic and Woodland periods, which produced a projectile point or knife uncommonly found in Florida. CA00237 is a Middle and Late Woodland campsite with lithics and diagnostic ceramics present.

Seven archaeological and historical surveys have been conducted within the Chipola River WMA. The manuscripts are on file at the FMSF and copies are available to the District. Staff are to familiarize themselves with surveys and recorded resources in Chipola River WMA and assist in recording newly identified resources with the FMSF.

4.3.1.6 Forest Resources


The Chipola River WMA is heavily focused on floodplain protection. Interspersed in this floodplain matrix are some upland forests, the majority of which were located on the Lower Chipola River WMA (Altha Tract) and sustained catastrophic damage during Hurricane Michael (October 2018). Again, similar to the Apalachicola River WMA, the largest percentage (85%) of forest resources in the Chipola River WMA can be characterized as lowland hardwood (Table 4-6 and Figure 4-5A and Figure 4-5B).


Table 4-6 Forest Resource Type, Acres and Percentage of Total Acres in the Chipola River WMA	
Forested Community	Acres
Lowland Hardwood	7,550
Hardwood-Loblolly	2
Hardwood-Slash	4
Slash Pine	837
Loblolly Pine	87
Longleaf Pine	159
Spruce Pine	19
Open	3
Non Forest	255
Total	8,916



- | | |
|----------------------|---------------------|
| — Rivers | ■ Pine Hardwood Mix |
| — US Highways | ■ Hardwood-Longleaf |
| ■ District Counties | ■ Hardwood-Slash |
| ■ Incorporated Areas | ■ Hardwood-Loblolly |
| ■ Longleaf Pine | ■ Hardwood-Sand |
| ■ Loblolly Pine | ■ Upland Hardwood |
| ■ Slash Pine | ■ Lowland Hardwood |
| ■ Sand Pine | ■ Infrastructure |
| ■ Spruce Pine | ■ Open |
| | ■ Out Parcel |


Chipola River Water Management Area Upper Chipola Tract Forest Resources





Interstates	Pine Hardwood Mix
Rivers	Hardwood-Longleaf
US Highways	Hardwood-Slash
District Counties	Hardwood-Loblolly
Incorporated Areas	Hardwood-Sand
Longleaf Pine	Upland Hardwood
Loblolly Pine	Lowland Hardwood
Slash Pine	Infrastructure
Sand Pine	Open
Spruce Pine	Out Parcel

Chipola River Water Management Area Altha Tract Forest Resources



4.3.1.7 Soils

Soils in the Chipola River WMA have been identified according to the CRIFF system (see Section 3.2.5) and are summarized below (Table 4-7 and Figure 4-6A and Figure 4-6B).


Table 4-7 CRIFF Soils and Acreages on the Chipola River WMA			
CRIFF Soil Group	Drainage	Important Feature	Acreage
A	Very poor to somewhat poor	Sand to loamy sand surface layer less than 20 inches thick, with a finer textured soil horizon below.	7,665
B	Very poor to somewhat poor	Sand to loamy sand surface layer greater than 20 inches thick, with a finer textured soil horizon below.	342
E	Moderate to Well	Sand to loamy sand surface layer less than 20 inches thick, with a finer textured soil horizon below.	209
F	Moderate to Well	Sand to loamy sand surface layer greater than 20 inches thick, with a finer textured soil horizon below.	244
G	Excessive	Sand to loamy sand surface layer at least 100 inches thick.	98
H	Very Poor	High in decomposing plant residues, often an organic soil.	103
X	Not Classified	Bottomland areas subject to prolonged or frequent inundation and/or highly altered/manipulated areas	255
Total			8,916

4.3.1.8 Public Recreation

The Chipola River Canoe Trail traverses river swamps and hardwood forests that harbor alligators, turtles, beavers, rare and endangered plants and animals. A 4.5-mile designated paddling trail adjacent to the Upper Chipola River WMA ends in the Florida Caverns State Park. In general, recreational opportunities within the Chipola River WMA include hunting, camping in designated sites, boating, picnicking, fishing, paddling, hiking, biking, and wildlife viewing.

Primary recreational sites on the Upper Chipola River WMA include Bellamy Bridge and Christoff Landing. Bellamy Bridge includes the Bellamy Bridge Heritage Trail, a 0.5-mile-long multi-use trail that offers access to historic Bellamy Bridge. Rare and endangered plant species have been identified along the path and it provides access to part of the Upper Chipola River WMA, a stop on the Great Florida Birding Trail. Christoff Landing includes a wooded campground and a boat ramp. Recreational opportunities include camping, RVs, picnicking, boat launch, boating, fishing, canoe launch, paddling, wildlife viewing, hiking and seasonal hunting. This area offers three designated campsites with fire rings, grills, and a pavilion available by reservation only.


The Lower Chipola River WMA (Altha Tract) provides access to the river, as well as unique quota hunting opportunities. A boat ramp located at Johnny Boy Landing (Figure 4-7) provides river access to boaters and tubers. The Look and Tremble area of river rapids is also a popular access location, with unimproved walkways to the river edge. Although no vehicle access is allowed on the Lower Chipola River WMA (Altha Tract) interior woods roads, visitors may enter from the river or walk in from bordering roads. A primitive hike-in campsite is situated along the Florida National Scenic Trail.




- | | |
|----------------------|---|
| — Rivers | C |
| — US Highways | D |
| □ District Counties | E |
| ■ Incorporated Areas | F |
| A | G |
| B | H |
| | X |

*CRIFF Soil descriptions can be found in Section 3.2.5 of the Northwest Florida Water Management District Land Management Plan

Chipola River Water Management Area Upper Chipola Tract CRIFF Soil Resources






Interstates	C
Rivers	D
US Highways	E
District Counties	F
Incorporated Areas	G
A	H
B	X


*CRIFF Soil descriptions can be found in Section 3.2.5 of the Northwest Florida Water Management District Land Management Plan

Chipola River Water Management Area


Altha Tract

CRIFF Soil Resources







N



0 10 20 40 Miles






- Recreation Sites
- District Counties
- Interstates
- District Lands
- Rivers
- Incorporated Areas
- US Highways

Recreational Activities

- | | | |
|-------------|-----------|------------|
| Hiking | Canoe | Fishing |
| Picnic Area | Boat Ramp | Hunting |
| Wildlife | Boating | RV Camping |
| Camping | Canoeing | |

Chipola River Water Management Area Upper Chipola Tract Recreation Resources





- Recreation Sites
- District Counties
- Interstates
- District Lands
- Rivers
- Incorporated Areas
- US Highways

Recreational Activities

- | | | |
|-------------|-----------|------------|
| Hiking | Canoe | Fishing |
| Picnic Area | Boat Ramp | Hunting |
| Wildlife | Boating | RV Camping |
| Camping | Canoeing | Restrooms |

Chipola River Water Management Area Altha Tract Recreation Resources



4.3.2 Resource Management Philosophy

The resource management philosophy for the Chipola River WMA is focused primarily on the protection and preservation of the existing natural resources specific to maintaining water quality and water quantity. The philosophy also encompasses protection of T&E species.

4.3.3 Management Actions and Strategies

The Chipola River WMA is predominantly associated with floodplains along the river acquired to protect the waters of the Chipola River. However, approximately 1,354 acres of uplands are located throughout the Chipola River WMA. Brief descriptions of primary management actions and strategies are found in Table 4-8.

Table 4-8 Management Goals, Objectives and Current and Upcoming Projects and Contracts on the Chipola River WMA			
District Goal	Program	District Objectives	Current and Upcoming Projects and Contracts
Water Resource Protection	Floodplain/Wetland Protection	<ul style="list-style-type: none">• Protect surface and groundwater quality• Protect groundwater recharge• Protect floodplain functions• Support water resource restoration, where needed	<ul style="list-style-type: none">• Cooperative Hydrologic Restoration project on Hollis Branch (U.S. Fish and Wildlife Service, Florida Fish and Wildlife Conservation Commission in lead)
Resource Management	Forest Management	<ul style="list-style-type: none">• Manage to attain an uneven-aged and vertically diverse forest; e.g., retain snags and dominant and/or old growth trees• Reforest to protect water resources using appropriate tree species per the Cooperative Research in Forest Fertilization (CRIFF)• Maintain an accurate and current forest resource inventory• Ensure commercial harvests optimize financial returns while protecting District water resources protection goals• Ensure District lands are prescribe-burned in accordance with preferred burn cycles	<ul style="list-style-type: none">• Pine Timber Inventory/Timber Harvest – complete Lower Chipola River WMA (Altha Tract) Timber Salvage Sale, Unit 6• Reforestation – 595 acres of longleaf in January 2020• Prescribed Burning

Table 4-8 Management Goals, Objectives and Current and Upcoming Projects and Contracts on the Chipola River WMA

District Goal	Program	District Objectives	Current and Upcoming Projects and Contracts
Resource Management	Reforestation and Groundcover Restoration	<ul style="list-style-type: none"> Reduce degradation of the existing native groundcover Observe grass, herbaceous, and shrub layers to determine if stand Condition Class is in/out of the accepted range Encourage the re-establishment of native groundcover species 	<ul style="list-style-type: none"> Vegetation control and maintenance around existing infrastructure (roads, firelines and fencing) with chemical and mechanical treatments
Resource Management	Protection of Threatened and Endangered Species	<ul style="list-style-type: none"> Protect listed species on District lands If a species is known to exist on District lands, implement appropriate Best Management Practices On District-owned lands where the FWC has a presence, the District will coordinate with FWC biologists for known locations of threatened & endangered species prior to silviculture operations 	<ul style="list-style-type: none"> Identify and protect threatened & endangered plant species
Resource Management	Control of Invasive and Non-Native Plants and Animals	<ul style="list-style-type: none"> Manage and eliminate non-invasive and non-native plants and animals to the degree possible through grants, public hunting, and herbicide application by District land managers. 	<ul style="list-style-type: none"> Treat invasive non-native plants and animals, as resources are available Vegetation control and maintenance around existing infrastructure (roads, firelines, and fencing) with chemical and mechanical treatments
Public Access	Recreation/Access Management	<ul style="list-style-type: none"> Maintain parking areas, camp sites, picnic areas, restrooms, kiosks, and trails. Maintain current information on District website. 	<ul style="list-style-type: none"> Law Enforcement Calhoun County Sheriff Lower Chipola River WMA (Altha Tract) Portable Toilets Identify the worst road sections at the Lower Chipola River WMA (Altha Tract) and work on getting them repaired In-House Recreational Site Cleaning Clearing of down trees and branches from the Florida Trail in the southeast section of the

Table 4-8 Management Goals, Objectives and Current and Upcoming Projects and Contracts on the Chipola River WMA			
District Goal	Program	District Objectives	Current and Upcoming Projects and Contracts
			<p>Lower Chipola River WMA (Altha Tract)</p> <ul style="list-style-type: none"> • Development of a parking lot in north section Lower Chipola River WMA (Altha Tract) (Musgrove Road) for recreational users (equestrian facilities) • Improvement and expansion of overflow parking at Johnny Boy Landing • Re-establish the multi-use trail in north section Lower Chipola River WMA (Altha Tract) • Identify locations for parking areas along Look-N-Tremble Road and determine rail fence locations • Maintenance and improvement of existing fences on the Lower Chipola River WMA (Altha Tract) — removal of top 4-foot section of web-wire fencing, installation of wildlife gaps that also improves management and recreation access

4.3.4 Special Resource Management Designations

In addition to the District's listed programs, several other management and monitoring programs occur along the Chipola River (Table 4-9).

Table 4-9 Special Resource Designations and Programs within the Chipola River WMA		
Designation/Program	Description	Managing Agency
Watershed Management Planning	To achieve comprehensive and long-term success for Gulf restoration, The Nature Conservancy facilitated a community-based watershed management planning process in 2014 and 2015 along Florida's Gulf Coast for the following six watersheds: Perdido Bay, Pensacola Bay, Choctawhatchee Bay, St. Andrew and St. Joseph bays, Apalachicola to St. Marks, and the Springs Coast.	The Nature Conservancy
Florida Fish and Wildlife Conservation Commission - Fish and Wildlife Research Institute (FWC-FWRI) Long-term Monitoring (LTM)	The FWC-FWRI LTM program is a program designed to effectively assess the current status and future trends of fish species and environmental parameters in Florida's lentic and lotic systems. The primary mission of the program is to provide timely, accurate, and consistent fisheries independent data and analysis to fisheries managers for the conservation and protection of Florida's fisheries.	FWC/FWRI

Table 4-9 Special Resource Designations and Programs within the Chipola River WMA		
Designation/Program	Description	Managing Agency
Apalachicola Regional Stewardship Alliance (ARSA) Cooperative Invasive Species Management Area (CISMA)	ARSA cooperators will utilize this plan to determine strategic actions for the CISMA. Individual land managers are encouraged to use this document as a guide to implement strategies on their own sites. This method will be used as a management tool to protect the native flora and fauna of the Apalachicola River region and will serve as a model for other regions.	The Nature Conservancy
Spring Protection and Restoration	<p>Since 2013, Florida has made substantial commitments to protecting and restoring Florida's springs, their ecological value, and associated public benefits. As of 2017, more than \$48 million in grant funds have been approved for projects in northwest Florida, leveraging more than \$22 million in additional local and federal funds. Projects funded in the Apalachicola River and Bay watershed include several restoration and protection projects for Jackson Blue Spring, including agricultural BMP cost-share grants and connection of residences currently served by septic systems to central sewer. Fee simple or conservation easement projects are also underway to increase the long-term protection of spring resources. Together, these efforts are expected to contribute substantially to other priorities identified in the Basin Management Action plan for Jackson Blue Spring and Merritts Mill Pond.</p> <p>The Florida Springs and Aquifer Protection Act of 2016 (373.801-373.813 Florida Statutes), furthers protection and restoration of Florida's ecologically significant spring ecosystems by defining requirements for Outstanding Florida Springs, including for protection of water quality, delineation of priority focus areas, and establishment of related Minimum Flows and Minimum Levels (MFLs). The 2016 Legislature also passed the Legacy Florida Act, which provides for recurring appropriations for spring restoration and protection statewide. Additional information on restoration and protection of springs is available at https://www.nfwwater.com/Water-Resources/Springs/Restoration-and-Protection</p>	Northwest Florida Water Management District, Florida Department of Environmental Protection
Key: WMA = water management area.		

4.4 Elinor Klapp-Phipps Park WMA

Elinor Klapp-Phipps Park (Phipps Park) WMA comprises 542 acres of District-owned lands with 415 acres (76%) of uplands in Leon County (Figure 4-1). The Park is situated at the northern limits of the city of Tallahassee (the City) and is surrounded by numerous recreational areas. The city and the District each own a part of the Park. Acquisition of the Phipps Park property was part of a larger effort to create a continuous greenway corridor stretching from Maclay State Gardens through the Lake Overstreet property to Lake Jackson, i.e. Maclay-Phipps Heritage Greenway.

With the exception of intensively developed recreational facilities on the City-owned portion, the primary emphasis is on resource-based passive outdoor recreation. The City owns and manages the eastern portion, which includes mostly developed recreation facilities, while the western portion is owned by the District

and is intended to protect the water resources of Lake Jackson and a portion of the Lake Jackson watershed, while allowing for passive recreation activities and occasional special events.

4.4.1 Property Resources

This section provides specific description of the natural and cultural resources present in the Phipps Park WMA.

4.4.1.1 Physiographic Features

The Phipps Park WMA is located in the Tallahassee Red Hills physiographic province of north Florida. The terrain generally consists of gently rolling hills bisected by numerous streams. Over recent geologic time, these streams have eroded Miocene deposits to form ravine features on the landscape. Occasional lakes and basin wetlands also have formed in the area. One of the largest lakes is Lake Jackson, whose watershed encompasses the Park's property. Water from Lake Jackson drains directly into the Floridan aquifer through a system of sinkholes located throughout the lake bottom.

4.4.1.2 Unique or Important Natural or Physical Features

Phipps Park WMA encompasses lakes and wetlands, native forests, and ravine systems that include many diverse natural habitats containing listed plant and animal species. Significant biological features of the WMA include specific sites where significant natural plant communities occur, and the complex associations of upland and wetland habitats characteristic of the region. In addition, Phipps Park WMA currently attracts a population of golden banded skippers (*Autochton cellus*) (a butterfly species not currently listed). This is a species of interest to the community and, as a result of recent studies, the District confers with outside groups on developing and implementing management options where the butterfly regularly occurs. For example, discussions have centered on the scheduling and implementation of prescribed fires.

4.4.1.3 Threatened and Endangered Species

Listed species documented on the WMA include the state-listed gopher tortoise.

4.3.1.4 Non-Native Invasive Species

Major invasive exotic plant species in Phipps Park WMA include: Chinese tallow, coral ardisia, tung oil tree (*Vernicia fordii*), Japanese honeysuckle (*Lonicera japonica*), Japanese climbing fern, Chinaberry (*Melia azedarach*), heavenly bamboo (*Nandina domestica*), glossy privet (*Ligustrum lucidum*), Chinese privet (*Ligustrum sinense*), kudzu (*Pueraria lobate*), air potato (*Dioscorea bulbifera*), and tropical soda apple (*Solanum viarum Dunal*).

4.4.1.4 Archaeological and Historical Resources

Ten archaeological sites and one resource group are recorded on Phipps Park WMA (Appendix G). Sites representing Fort Walton, Leon-Jefferson, nineteenth century, and twentieth century occupations are known, which represent the past thousand years of history in Florida. It is possible additional sites exist

dating to earlier time periods that have not yet been identified. Site types include habitations, an artifact scatter, campsites, and homesteads.

The Florida SHPO has not evaluated any of the recorded sites as Eligible for the NRHP. Only one site (LE01439) has been recommended as Eligible by the surveyor, but this has not been confirmed by the Florida DHR.

One archaeological and historical survey has been conducted in the Phipps Park WMA. The manuscript is on file at the FMSF and copies are available to the District. Staff are to familiarize themselves with surveys and recorded resources in Phipps Park WMA and will assist in recording newly identified resources with the FMSF.

4.4.1.5 Forest Resources


Phipps Park WMA is dominated by uplands as opposed to floodplains and wetlands (Table 4-10 and Figure 4-8).

Table 4-10 Forest Resource Type, Acres, and Percent of Elinor Klapp-Phipps Park WMA	
Forested Community	Acres
Lowland Hardwood	42
Hardwood-Loblolly	2
Loblolly Pine	262
Longleaf Pine	18
Pine Hardwood Mix	67
Upland Hardwood	65
Open	85
Total	542

4.4.1.6 Soils

Soils in Phipps Park WMA have been identified according to the CRIFF system (Section 3.2.5); they are summarized in Table 4-11 and illustrated on Figure 4-9.

Table 4-11 CRIFF Soils and Acreages on the Elinor Klapp-Phipps Park WMA			
CRIFF Soil Group	Drainage	Important Feature	Acreage
E	Moderate to Well	Sand to loamy sand surface layer less than 20 inches thick, with a finer textured soil horizon below.	43
F	Moderate to Well	Sand to loamy sand surface layer greater than 20 inches thick, with a finer textured soil horizon below.	371
X	Not Classified	Bottomland areas subject to prolonged /or frequent inundation and/or highly altered/manipulated areas	127
Total			542




- | | |
|--------------------|-------------------|
| Interstates | Pine Hardwood Mix |
| Rivers | Hardwood-Longleaf |
| US Highways | Hardwood-Slash |
| District Counties | Hardwood-Loblolly |
| Incorporated Areas | Hardwood-Sand |
| Longleaf Pine | Upland Hardwood |
| Loiblolly Pine | Lowland Hardwood |
| Slash Pine | Infrastructure |
| Sand Pine | Open |
| Spruce Pine | Out Parcel |

Elinor Klapp-Phipps Park Water Management Area Forest Resources





Elinor Klapp-Phipps Park Water Management Area CRIF Soil Resources



*CRIF Soil descriptions can be found in Section 3.2.5 of the Northwest Florida Water Management District Land Management Plan

4.4.1.7 Public Recreation

Recreational uses currently allowed on Phipps Park WMA include hiking/walking, cross county running, orienteering, bicycling, fishing, wildlife viewing, nature study, and horseback riding (Figure 4-10). All other activities on District property are subject to a “Special Resource Area Permit” as described in Section 2.3.2.3 and provided in Appendix A.

4.4.2 Resource Management Philosophy

The Phipps Park WMA is located just east of Lake Jackson and plays a vital part in protecting the lake’s watershed. Given Lake Jackson’s direct linkage to the Floridan aquifer, it is extremely important this watershed be protected from point source and non-point source pollutants. The District will work to restore and protect the natural communities within the Phipps Park WMA to help maintain an unaffected supply of water to the lake while also continuing to promote low-impact recreational activities and restrict other activities that can cause siltation and pollutants from draining into Lake Jackson.

The District and the City share management responsibilities of the Park. The District has the responsibility for coordinating and implementing all land management activities and operations involving: 1) water quality protection, including erosion control; 2) prescribed burning; 3) invasive exotic control and removal; 4) management of the pine plantations including timber harvesting; and 5) general land management activities and operations, including, but not limited to road maintenance, maintenance of Lake Victoria, and District signage. Phipps Park is part of the City’s park system and as such, the City provides management of recreation activities, City signage and kiosks, road and trail maintenance, and cooperation with special events.



Elinor Klapp Phipps Park

LEON

155

27

63

10

Tallahassee

61

-  Recreation Sites
-  Interstates
-  Rivers
-  US Highways
-  District Counties
-  District Lands
-  Incorporated Areas

Recreational Activities

-  Hiking
-  Picnic Area
-  Wildlife
-  Restrooms
-  Horseback Riding

Elinor Klapp-Phipps Park Water Management Area Recreation Resources



4.4.3 Management Actions and Strategies

The Phipps Park WMA is predominantly associated with uplands in the Lake Jackson watershed. Primary management actions and strategies are summarized in Table 4-12.

Table 4-12 Management Actions and Strategies on Elinor Klapp-Phipps Park WMA			
District Goal	Program	District Objectives	Current and Upcoming Projects and Contracts
Water Resource Protection	Floodplain/Wetland Protection	<ul style="list-style-type: none"> Protect surface and groundwater quality Protect groundwater recharge Protect floodplain functions Support water resource restoration, where needed 	<ul style="list-style-type: none"> Dam outfall structure repair at Lake Victoria
Resource Management	Forest Management	<ul style="list-style-type: none"> Manage to attain an uneven-aged and vertically diverse forest; e.g., retain snags and dominant and/or old growth trees Reforest to protect water resources using appropriate tree species per CRIFF Maintain an accurate and current forest resource inventory Ensure commercial harvests optimize financial returns while protecting District water resources protection goals Ensure District lands are prescribe-burned in accordance with preferred burn cycles 	<ul style="list-style-type: none"> Prescribed burning
Resource Management	Reforestation and Groundcover Restoration	<ul style="list-style-type: none"> Reduce degradation of the existing native groundcover Observe and document grass, herbaceous, and shrub layers to determine if stand Condition Class is in/out of the accepted range Encourage the re-establishment of native groundcover species 	<ul style="list-style-type: none"> Prescribed burning
Resource Management	Protection of Threatened and Endangered Species	<ul style="list-style-type: none"> Protect listed species on District lands If a species is known to exist on District lands, implement appropriate BMPs On District-owned lands where the FWC has a presence, the District will coordinate with FWC biologists for known locations of threatened & endangered species prior to silviculture operations 	<ul style="list-style-type: none"> Re-survey the gopher tortoise population and identify burrow locations and activity level Review butterfly research and determine management operation to support their populations

Table 4-12 Management Actions and Strategies on Elinor Klapp-Phipps Park WMA			
District Goal	Program	District Objectives	Current and Upcoming Projects and Contracts
Resource Management	Control of Invasive and Non-Native Plants and Animals	<ul style="list-style-type: none"> Manage and eliminate invasive and non-native plants and animals to the degree possible through grants, public hunting, and herbicide application by District land managers 	<ul style="list-style-type: none"> Control the invasive non-native plants through FWC grants and related activities Periodically control water hyacinths in Lake Victoria
Public Access	Recreation/Access Management	<ul style="list-style-type: none"> Maintain parking areas, picnic areas, restrooms, kiosks, and trails. Maintain current information on District website. 	<ul style="list-style-type: none"> Red Hills Horse Trials Identify the worst road sections and work on getting them repaired
Key: CRIFF = Cooperative Research in Forest Fertilization. FWC = Florida Fish and Wildlife Conservation Commission.			

4.4.4 Cooperating Management Agencies and Responsibilities

As indicated previously, the management of the Phipps Park WMA is a coordinated effort with multiple partners (Table 4-13).

Table 4-13 Management Partners and Responsibilities for the Elinor Klapp-Phipps Park WMA	
Designation/Program	Description
City of Tallahassee	Provides management of recreation activities, City signage and kiosks, road and trail maintenance, and cooperation with special events.
Florida Department of Environmental Protection	Development of a greenway corridor that extends from Thomasville Road to Lake Jackson. The corridor encompasses both Alfred B. Maclay Gardens State Park and Elinor Klapp-Phipps Park.
Florida Forest Service	Can participate in prescribed burning operations in Phipps Park WMA and may continue to be requested by the District for these types of activities.
Florida Fish and Wildlife Conservation Commission Invasive Plant Management Section (formerly the Florida Department of Environmental Protection, Bureau of Invasive Plant Management)	Has assisted in developing invasive exotic plant control projects within the Park WMA.
The Florida Department of State, Division of Historical Resources	Developing a Cultural Landscape Master Plan.
Tall Timbers Research Station	Tall Timbers has been involved with the Phipps Park WMA and has provided management recommendations.

5 References

- Florida Department of Agriculture and Consumer Services (FDACS). 2008. Silviculture Best Management Practices Manual. <https://www.freshfromflorida.com/Divisions-Offices/Florida-Forest-Service/Our-Forests/Best-Management-Practices-BMPs>.
- FDACS. 2014. Florida Forestry Wildlife Best Management Practices for State Imperiled Species Manual. <https://www.freshfromflorida.com/Divisions-Offices/Florida-Forest-Service/Our-Forests/Best-Management-Practices-BMPs>.
- Florida Natural Areas Inventory's FNAI Standard Data Report (August 2019).
- Jokela, E.J. and A.J. Long. 2015. Using soils to guide fertilizer recommendations for southern pines. University of Florida – IFAS Extension, Circular 1230, 13 pages.
- Leitman, H.M., J.E. Sohm, and M.A. Franklin. 1984. Wetland hydrology and tree distribution of the Apalachicola River flood plain, Florida. US Geological Survey Water Supply Paper 2196- A.
- Pratt, T.R., C.J. Richards, K.A. Milla, J.R. Wagner, J.L. Johnson, and R.J. Curry. 1996. Hydrogeology of the Northwest Florida Water Management District. Water Resources Special Report 96-4. Havana: Northwest Florida Water Management District.

This page left blank intentionally.

Appendix A

District Land Ownership

This page left blank intentionally.

CONSERVATION EASEMENTS

Water Body	Tract	Acres	County	Date	Pur. Price	Funding
Apalachicola River	Peddle	6.00	Liberty	07/12/95	-	Exchange
	Gaskin et al	809.50	Gulf	06/06/03	\$ 436,500.00	Preservation 2000 & FF
	Trammell	1,544.00	Calhoun	12/23/07	\$ 2,985,107.84	Florida Forever
		2,359.50			\$ 3,421,607.84	
Econfina Creek	Steele/Lachina	1.00	Washington	02/04/00	-	Exchange
	Lark/Sims (Urquhart/Perry)	1,173.05	Washington	10/03/03	\$ 750,000.00	Florida Forever
	Syfrett	179.40	Washington	10/24/03	-	Exchange
	Syfrett	197.90	Washington	10/24/03	-	Exchange
	Patronis	851.10	Bay	04/17/06	-	Exchange
	Patronis	30.90	Bay	04/17/06	-	Exchange
	Hodson	230.18	Bay	05/24/18	\$ 573,781.20	Springs Funding
	Circle H Properties	58.96	Bay	02/15/19	\$ 53,058.10	Springs Funding
		2,722.49			\$ 1,376,839.30	
St. Marks River	Pope	120.70	Leon	12/21/00	\$ 235,725.00	Preservation 2000
	Carlton	62.40	Wakulla	12/13/01	\$ 101,535.00	Preservation 2000
	Thompson * (BluePrint)	132.62	Leon	11/30/05	\$ 107,050.00	Florida Forever & BluePrint 2000
	Gerrell	149.11	Wakulla	08/25/06	\$ 1,000,000.00	Florida Forever
	Billingsley *	194.50	Leon	06/12/09	\$ 440,000.00	Florida Forever & BluePrint 2000
		659.33			\$ 1,884,310.00	
* Represents one-half of purchase price paid by NWFWMMD						
Ochlockonee River	Thompson/Gray (Magnolia Farms)	312.00	Gadsden	06/05/01	-	Donation
	Davidson/Lynch	1,528.90	Liberty	11/27/07	\$ 1,951,197.47	Florida Forever
	Shuler	1,573.66	Liberty	07/28/08	\$ 2,045,758.00	DOT Mitigation
	Coastal Forest Res.	150.77	Gadsden	08/28/08	-	Donation
	Jones (Jackson)	109.20	Leon	09/24/10	-	Donation
		3,674.53			\$ 3,996,955.47	
Spring Creek	Carroll/Avitable (Carpenter)	353.80	Wakulla	09/18/01	\$ 315,000.00	Florida Forever
	Carroll/Langford (Carpenter)	362.46	Wakulla	04/26/02	\$ 271,571.00	Preservation 2000
		716.26			\$ 586,571.00	
Escambia River	Watson	18.70	Escambia	02/04/05	-	Exchange
		18.70			\$ -	
Perdido River	Herndon	4.2	Escambia	01/27/09	-	Exchange
		4.2			\$ -	

Choctawhatchee River/ Holmes Creek	Glover Partial Rel. to DOT White Haddock M.C. Davis at Trustee of M.C. Davis 2006 Trust Nestle-Cypress Spring	1,111.00 (1.64) 1.00 331.90 1,095.30 303.55 2,841.11	Washington Washington Washington Walton Washington	08/30/01 10/07/05 02/03/06 03/17/11 11/08/18	\$ - \$ \$ \$ \$ \$	600,000.00 - 298,500.00 1,642,950.00 819,585.00 3,361,035.00	Preservation 2000 Sold for \$4,500 Exchange Florida Forever DOD/REPI Funds Springs
TOTAL		12,996.12			\$	14,627,318.61	

PERDIDO RIVER

Owner	Tract	Acres	Counties	Date	Pur. Price	Funding Source
International Paper		5,456.00	Escambia	05/31/06	\$ 12,085,069.00	FL Forever/CIFL Forever (5,237.8 ac.)
Escambia County		(1.22)	Escambia	11/17/06	Donation	DOT Mitigation (218.2 ac.)
District/Herndon Exchange		(4.20)	Escambia	01/27/09	Exchange	Surplus to County
District/Herndon Exchange		0.45	Escambia	01/27/09	Exchange	Exchange
Dutex		809.85	Escambia	06/12/09	\$ 1,930,795.77	Florida Forever
Pridgen		0.34	Escambia	10/28/10	\$ 20,000.00	DOT Mitigation
Perdido River Total		6,261.22			\$ 14,035,864.77	

ESCAMBIA RIVER

Owner	Tract	Acres	Counties	Date	Pur. Price	Funding Source
St. Regis/The Nature Conservancy		17,998.00	Escambia (4,794)	12/19/84	\$ 3,500,000.00	Save Our Rivers
Conservancy			Santa Rosa (13,204)			
Robinson		138.00	Santa Rosa	10/15/92	-	Donation
Champion		14,094.00	Escambia (7,201)	04/26/94	\$ 5,721,667.00	Preservation 2000
			Santa Rosa (6,893)			
Boley		1,144.00	Santa Rosa	08/19/94	\$ 184,680.00	Preservation 2000
Department of Transportation		209.00	Santa Rosa	09/06/94	-	Donation
Gillmore		478.00	Escambia	04/28/95	\$ 160,416.00	Preservation 2000
Premier Bank		106.00	Escambia	07/18/95	\$ 19,500.00	Preservation 2000
Neal/Stalley		64.00	Escambia	07/18/95	-	Donation
Beall/Coe		110.40	Escambia	03/13/98	\$ 64,724.00	Preservation 2000
Gillmore/Gregory		42.90	Escambia	11/09/00	\$ 38,833.00	Save Our Rivers
Perdido Key		92.00	Santa Rosa	01/19/01	\$ 135,632.00	Save Our Rivers
Escambia County		(3.60)	Escambia	08/23/01	-	Donation
Rodgers		102.40	Escambia	12/03/03	\$ 96,500.00	Preservation 2000 (101 ac.)
						Land Acq. Reserve (1.4 ac.)
District to Watson		(18.70)	Escambia	02/04/05	-	Exchange
Watson		51.40	Escambia	02/04/05	-	Exchange
Bluff Springs/Sharpe		311.30	Escambia	05/27/05	\$ 357,537.00	DOT Mitigation (108.7 ac.)
						Florida Forever (202.6 ac.)
Swift		494.30	Santa Rosa	04/22/10	\$ 999,000.00	Florida Forever
Sale to DOT of 18,282 Sq. Ft.		(0.42)	Escambia	06/29/15		Sold for \$2,400
Escambia River Total		35,412.98			\$ 11,278,489.00	

GARCON POINT

Owner	Tract	Acres	Counties	Date	Pur. Price	Funding Source
FDIC		1,864.00	Santa Rosa	12/06/91	\$ 800,000.00	Save Our Rivers
Garcon Point (1/2 interest)		78.00	Santa Rosa	09/01/93	\$ 11,836.00	Save Our Rivers
Bridge Authority		23.00	Santa Rosa	10/31/96	-	Donation
Clark		1,046.00	Santa Rosa	12/04/96	-	Funds from Santa Rosa Bay Bridge Auth.
Mobley		45.00	Santa Rosa	12/31/96	-	Donation
Santa Rosa County		169.00	Santa Rosa	06/03/97	-	Donation
McKay		10.00	Santa Rosa	09/17/99	\$ 38,000.00	Save Our Rivers
Perdido Key		10.00	Santa Rosa	10/25/02	\$ 9,000.00	Preservation 2000
Garcon Point Total		3,245.00			\$ 858,836.00	

BLACKWATER RIVER

Owner	Tract	Acres	Counties	Date	Pur. Price	Funding Source
Holsberry		15.5	Santa Rosa	12/29/86	-	Donation
Davis		236.7	Santa Rosa	08/03/01	\$ 315,446.00	Preservation 2000
Zarrow Donation		14	Santa Rosa	12/23/02	-	Donation
Rogers		40.2	Santa Rosa	02/25/05	\$ 29,710.00	DOT Mitigation
Brewer/Guiles		72.5	Santa Rosa	04/22/05	\$ 74,475.00	DOT Mitigation
City of Milton Donation		2	Santa Rosa	12/28/10	-	Donation
Surplus of 0.4 acre		-0.4	Santa Rosa	12/13/13	-	Sold for \$2,400
Blackwater River Total		380.5			\$ 419,631.00	

YELLOW RIVER

Owner	Tract	Acres	Counties	Date	Pur. Price	Funding Source
R and R		57.00	Okaloosa	12/22/92	-	Donation
Champion		7,972.00	Okaloosa (2,586)	04/26/94	\$ 3,236,319.00	Preservation 2000
			Santa Rosa (5,386)			
Wernicke		132.50	Santa Rosa	08/23/95	\$ 28,164.00	Preservation 2000
Haiseal		7,968.00	Okaloosa	12/15/99	\$ 5,125,000.00	Preservation 2000
Schluter		61.30	Okaloosa	09/01/00	\$ 86,400.00	Save Our Rivers
Cunningham		81.00	Okaloosa	09/08/00	\$ 116,250.00	Save Our Rivers
Okaloosa		(2.75)	Okaloosa	08/30/01	-	Donation
Amerivest		1,176.60	Santa Rosa	09/19/01	\$ 3,625,000.00	Florida Forever (204.5 acres)
						Save Our Rivers (972 acres)

Allen	278.90	Santa Rosa	12/21/05	\$	825,000.00	DOT Mitigation
West	17.70	Okaloosa	06/04/07	\$	25,526.00	Land Acq. Reserve
Sale to DOT	(0.20)	Santa Rosa	10/05/09		WMD Paid \$700	WMD was paid \$700
Sale to DOT	(0.024)	Santa Rosa	06/28/10		WMD Paid \$500	WMD was paid \$500
Surplus of 1.5-acres	(1.5)	Okaloosa	12/13/13			Sold for \$3,400
District/Strauss Exchange	(61.1)	Okaloosa	01/24/14			
District/Strauss Exchange	50.0	Okaloosa	01/24/14			
Donation of Grassy Point to BOT	(1,176.6)	Santa Rosa	08/27/14			Donation
Yellow River Total	16,552.83			\$	13,067,659.00	

CHOCTAWHATCHEE RIVER/HOLMES CREEK

Owner	Acres	Counties	Date	Pur. Price	Funding Source
Tract					
Southwest Forest	35,198.00	Bay (999)	12/02/85	\$	10,207,420.00
		Holmes (2,371)			Save Our Rivers
		Walton (18,267)			
		Washington (13,561)			
Mutual Life	6,731.00	Holmes (1,047)	07/31/92	\$	2,042,185.00
		Walton (3,585)			Preservation 2000
		Washington (2,099)			
Freeman	41.00	Walton	09/14/92	\$	29,500.00
Wentworth	55.00	Washington	07/09/92		Save Our Rivers
Harris	86.00	Washington	03/31/93	\$	45,361.00
Mathis	0.07	Washington	04/28/93	\$	9,255.99
M and K	(13.00)	Washington	12/20/93		Save Our Rivers
Champion	8,725.00	Holmes	04/26/94	\$	3,542,014.00
Gould	348.00	Washington	05/24/94	\$	Preservation 2000
Barron	546.00	Washington	02/27/96	\$	200,250.00
Brand	619.00	Washington	03/01/96	\$	Preservation 2000
Holmes County	(2.00)	Walton	04/01/96	\$	287,500.00
Miers	50.00	Holmes	07/03/96		Preservation 2000
Arnold	356.00	Holmes	02/21/97	\$	Exchange
Howell	175.00	Holmes	05/08/98	\$	Save Our Rivers
Department of Transportation	(0.56)	Holmes	06/25/98		Save Our Rivers
Coocy	82.00	Holmes	07/17/98	\$	Exchange
Department of Transportation	26.50	Holmes	04/28/99		Save Our Rivers
McGill	321.70	Walton	11/29/99	\$	42,270.00
					Preservation 2000
					Exchange
					DOT Mitigation

Northwest Florida Water Management District Land Acquisitions

9/5/2019

England	58.00	Holmes	12/17/99	\$	26,456.00	Save Our Rivers
Smith	58.40	Holmes	11/17/00	\$	58,500.00	Save Our Rivers
Hilton	42.00	Walton	08/03/01	\$	275,000.00	Preservation 2000
St. Joe	2,649.40	Walton	11/16/01	\$	3,695,220.00	DOT Mitigation
Great Eastern	28.00	Bay	11/30/01	\$	18,550.00	Preservation 2000
Sapp Timber	39.30	Washington	09/18/01	\$	78,400.00	Florida Forever
Sapp/Folmer	1,075.50	Washington	09/18/01	\$	1,500,000.00	Florida Forever
Hogtown Bayou	132.00	Walton	04/09/02	-	-	Donation
Donation to Muscogee Nation	(2.29)	Walton	12/29/03	-	-	Donation
Donation to Muscogee Nation	(0.83)	Walton	07/27/04	-	-	Donation
Lafayette Creek/MC Davis	3,160.00	Walton	04/26/05	\$	4,503,000.00	DOT Mitigation (490 ac.)
						Florida Forever (2,670 ac.)
District to White	(1.00)	Washington	10/07/05	-	-	Exchange
White to District	12.10	Washington	10/07/05	-	-	Exchange
District to Davis	(18.67)	Walton	10/24/06	-	-	Exchange
Davis to District	59.31	Walton	10/24/06	-	-	Exchange
Varn	31.00	Washington	04/28/08	\$	180,000.00	Florida Forever
Lee	20.00	Walton	08/29/08	\$	133,000.00	DOT Mitigation
Woolley	40.00	Walton	08/27/09	\$	104,500.00	DOT Mitigation
Plum Creek	121.50	Washington	10/23/09	\$	304,300.00	Florida Forever
Surplus of 38 acres to Lucas	(38.00)	Walton	02/14/14	\$		Sold for \$37,620 plus timber of \$49,511.70
Brunson (OWNED BY BOT)	348.29	Washington	03/13/15			Owned by BOT-Managed by WMD
Choctaw. R./Holmes Ck. Total	61,158.72			\$	28,586,480.99	

ECONFINA CREEK						
Owner	Tract	Acres	Counties	Date	Pur. Price	Funding Source
Mutual Life		1,481.50	Jackson (1,258)	07/31/92	\$	449,487.00
			Washington (223.5)			Preservation 2000
Harder		189.40	Bay	04/02/93	\$	790,000.00
Deer Park		5.50	Bay	06/01/93	\$	54,500.00
Atkinson		19.60	Bay	11/18/93	\$	72,295.00
Hallmon		43.00	Bay	05/24/94	\$	197,370.00
Kammer		40.00	Bay	09/07/94	-	Donation
Rosewood	I	1,401.00	Bay (148)	11/30/94	\$	2,539,800.00
			Washington (1,253)			Preservation 2000
St. Joe	Creek Front	3,752.00	Bay (905)	11/30/94	\$	7,484,000.00
						Preservation 2000

Northwest Florida Water Management District Land Acquisitions

9/5/2019

Urquhart	Washington (2,847)	03/24/94	\$	576,300.00	Preservation 2000
Whitehead	339.00 Washington	02/26/96	\$	129,675.00	Preservation 2000
Hancock	128.00 Bay	12/12/96	\$	1,400,000.00	Preservation 2000
Rosewood	928.00 Bay	12/19/97	\$	23,215,062.00	Preservation 2000
II	28,954.00 Bay (9,033)				
	Washington (19,921)				
Carter	5.00 Washington	03/13/98	\$	9,738.00	Save Our Rivers
Aldridge	10.00 Washington	04/09/99	\$	5,400.00	Save Our Rivers
Reed	10.00 Washington	09/17/99	\$	5,200.00	Save Our Rivers
Rist	15.40 Bay	01/22/99		-	Donation
III					
Rosewood	20.50 Washington	12/17/99	\$	10,800.00	Save Our Rivers
Kolk/Fuller	40.80 Washington	04/20/00	\$	24,000.00	General Fund
Curtis	20.00 Washington	08/18/00	\$	9,300.00	Save Our Rivers
H.B. James	10.00 Washington	08/18/00	\$	3,375.00	Save Our Rivers
Duncan	10.00 Washington	10/20/00	\$	3,375.00	Save Our Rivers
Davis/Fowhand	114.80 Bay	12/21/00	\$	395,000.00	Preservation 2000
Johns	131.20 Washington	09/14/01	\$	139,500.00	Florida Forever
St. Joe	1,034.00 Bay	09/19/01	\$	3,640,000.00	Florida Forever
Stroop	15.00 Washington	01/18/02	\$	8,100.00	Florida Forever
Carter	2,155.30 Washington	10/11/02	\$	4,335,525.00	DOT Mitigation
Hobbs Pasture					General Fund
Moseley	65.70 Washington	11/01/02	\$	88,600.00	Preservation 2000
Thompson	5.00 Washington	09/30/03	\$	2,788.00	Save Our Rivers
Syffrett	(197.90) Washington	10/24/03		-	Exchange
St. Joe	949.20 Bay (555.9)	12/16/05	\$	2,400,000.00	Florida Forever
Additions	Washington (393.3)				
Peaden	81.30 Washington	02/03/06	\$	478,750.00	Florida Forever
Patronis Ex.	(851.10) Bay	04/17/06		-	Exchange
Patronis Ex.	145.60 Bay	04/17/06		-	Exchange
Moore et al	95.10 Washington	04/21/06	\$	250,800.00	Florida Forever
Sirles	10.00 Washington	07/14/06	\$	48,000.00	Florida Forever
Adams	13.82 Washington	10/20/06	\$	29,070.00	Florida Forever
Fraoli	10.02 Bay	02/09/07		0	Donation
Libby	8.06 Washington	05/25/07	\$	26,240.00	Land Acq. Res.
Bay County	(3.59) Bay	11/20/08	\$	Surplus for R-O-W	Surplus
Donation to WCSB	(96.20) Washington	01/29/09		Donation	Surplus to School Board

Surplus of Mt. Pleasant Cemetery	(1.00) Bay	11/18/09	Surplus of Cemetery	Surplus
Plum Creek	160.10 Washington	12/18/09	\$ 232,000.00	Florida Forever
Panhandle Timberlands	61.46 Jackson	07/15/11	\$ 121,644.09	Land Acq. Res.
Sartor	10.00 Washington	09/24/13	\$15,000.00	Land Acq. Res.
Donation to Bay County for Intake Site	(1.42) Bay	05/08/14	Donation	Donation for intake site
Surplus of 2.6 Acres to Gainer	(2.60) Bay	06/12/15	Surplus	Sold for \$5,300 to George Gainer
James	3.13 Bay	12/18/15	\$ 48,000.00	DEP Springs Funding
Donation to Bay County for Scott Rd.	(2.53) Bay	09/14/17	Donation	Donation for drainage and paving project
Donation to Washington Co.	(0.88) Washington	11/08/18	Donation	Donation for realignment of Chain Lake Rd.
Donation to DOT	(0.10) Washington	11/08/18	Donation	Donation for widening of Hwy 77
Econfina Creek Total	41,334.18		\$ 49,238,694.09	

CHIPOLA RIVER	Tract	Acres	Counties	Date	Pur. Price	Funding Source
Owner						
Mutual Life		7,378.00	Jackson	07/31/92	\$ 2,238,474.00	Preservation 2000
Department of Transportation		(0.73)	Jackson	06/28/93	-	Sold for \$380
Belamy-IP		338.70	Jackson	03/31/09	\$ 297,000.00	Florida Forever
Chipola Timberlands		1,377.76	Calhoun	12/23/09	\$ 5,235,488.00	Florida Forever
Chipola River Total		9,093.73			\$ 7,770,962.00	

WEST BAY	Tract	Acres	Counties	Date	Pur. Price	Funding Source
Owner						
St. Joe	Ward Creek West	719.30	Bay	02/29/08	\$ 1,936,700.00	DOT Mitigation
West Bay Total		719.30			\$ 1,936,700.00	

APALACHICOLA RIVER	Tract	Acres	Counties	Date	Pur. Price	Funding Source
Owner						
Southwest Forest		35,509.00	Gulf (13,134)	12/02/85	\$ 10,297,610.00	Save Our Rivers
			Liberty (22,375)			
Wentworth		(22.00)	Liberty	07/09/92	-	Exchange
Peddie		19.00	Liberty	07/12/95	-	Exchange
Neal		1,316.70	Liberty	05/19/11	\$ 3,565,426.09	General Fund (948.9 acres)
Apalachicola River Total		36,822.70			\$ 13,863,036.09	Florida Forever (367.8 acres)

LAKE JACKSON

Owner	Tract	Acres	Counties	Date	Pur. Price	Funding Source
Phipps		509.00	Leon	10/15/92	\$ 2,939,440.00	Save Our Rivers
Hill		6.70	Leon	12/29/93	-	Donation
Lake Jackson Total		515.70			\$ 2,939,440.00	

District-Wide Owned

Total		
Fee	211,148.55	
Less-Than-Fee	12,996.12	
TOTAL	224,144.67	\$ 143,995,792.94

District-Wide Managed

Total		
Fee	211,496.86	
Less-Than-Fee	12,996.12	
TOTAL	224,492.98	

This page left blank intentionally.

Appendix B

Condition Class Examples

This page left blank intentionally.

Condition Class I

Condition Class I would be considered the Districts goal for maintaining healthy ecosystems.

Disturbance regimes:

- Flatwoods once in every 2 years
- Sandhill once in every 3 years
- Scrub once in every 8-20 years
- Marsh/Wet Prairie once every 2-3 years



Condition Class II

- Has not had a successful disturbance within one fire interval but it has within two fire intervals.
- Shrubs begin to dominate portions of the unit.
- Ground cover is still abundant, but it is starting to be “edged out”.



Condition Class III

- Has not had a successful disturbance within three or more fire intervals and has begun to change plant communities.
- Shrubs dominate much of the unit.
- Ground cover is impacted.
- Can still be recovered, but action is required soon, **fire alone may not be** sufficient.



Condition Class IV

- The unit has gone so long without disturbance, that it has changed natural communities entirely and **should no longer be considered a unit maintained with fire.**
- Groundcover is nearly absent
- Significant time, energy and money will be required to restore the area to the original plant community.



Appendix C

**NWFWMD Special Resource Area
Permit Form**

This page left blank intentionally.

NORTHWEST FLORIDA WATER MANAGEMENT DISTRICT

DIVISION OF ASSET MANAGEMENT

81 Water Management Drive
Havana, FL 32333-4712
(850) 539-5999 - FAX (850) 539-2777

SPECIAL RESOURCE AREA PERMIT APPLICATION

Any entity that desires to hold an event with ten or more participants within any Water Management Area must in advance apply for and receive a Special Resource Area Permit from the Water Management District. Uses that require this Permit include (but are not limited to) organized group activities, trail rides, field trials, group camping, track & field events, and religious services. Each proposed use will be evaluated in terms of its potential impact on the natural resources of the Water Management Area, as well as its potential conflict with other recreational and District uses. If the proposed use is determined to be inconsistent with the purposes for which the lands were acquired, the District will inform the applicant that the permit will not be recommended for approval. In the event of such a determination, no further District action will be taken unless requested by the applicant.

Name of Applicant: _____

Mailing Address: _____

Telephone: _____ Email: _____

Water Management Area (location where activity is to be held)

☐ Apalachicola ☐ Choctawhatchee ☐ Escambia ☐ Chipola ☐ Econfina ☐ Yellow ☐ Garcon Point ☐ Phipps Park ☐ Blackwater

☐ Perdido ☐ Other _____

Time and Date of Activity: _____

Specific Area Requested for Activity (Please describe in detail and provide a detailed map):

ACTIVITY INFORMATION (please check appropriate box and estimate numbers involved)

Planned Activity:

- ☐ Camping ☐ Field Trial
☐ Trail Ride ☐ Religious Services
☐ Other (please specify) _____

Estimated Number of:

People _____ Horses _____

Vehicles _____ Dogs _____

Bicycles _____

Other (please specify) _____

The permit will be subject to the following conditions and terms:

1. The permit is not transferable.
2. The permit is not for exclusive use of district resources.
3. The status of the holder of this Permit will be that of licensee only. Licensee agrees that the Water Management District, its officers, agents or employees are not liable for any claim whatsoever for damage to equipment, property or injury to persons arising in connection with any activity undertaken under terms of this Permit.
4. Licensee may use only the area specified above and only for the designated purpose.
5. Licensee will avoid all practices detrimental to water, wildlife and forest resources. Licensee shall not cut any vegetation, post any signs, or construct any structures or facilities without prior written consent of the Water Management District.
6. Licensee is responsible for the proper collection and disposal of all waste, litter and trash generated during and by the activities conducted under the terms of this permit. No disposal shall take place within the Water Management Area.
7. Vehicles will be restricted to designated roads and parking lots.
8. Other conditions are as follows:

(Signature of Licensee)

Date: _____

For District Use Only

(Authorized District Representative)

Date: _____

This page left blank intentionally.

Appendix D

**Florida DHR Management Procedures
for State-Owned and State-Controlled
Properties**

This page left blank intentionally.

Management Procedures for Archaeological and Historical Sites and Properties on State-Owned or Controlled Properties
(Revised May 2019)

These procedures apply to state agencies, local governments, and non-profits that manage state-owned properties.

A. General Discussion

Historic resources are both archaeological sites and historic structures. Per Chapter 267, Florida Statutes, *‘Historic property’ or ‘historic resource’ means any prehistoric district, site, building, object, or other real or personal property of historical, architectural, or archaeological value, and folklife resources. These properties or resources may include, but are not limited to, monuments, memorials, Indian habitations, ceremonial sites, abandoned settlements, sunken or abandoned ships, engineering works, treasure trove, artifacts, or other objects with intrinsic historical or archaeological value, or any part thereof, relating to the history, government, and culture of the state.’*

B. Agency Responsibilities

Per State Policy relative to historic properties, state agencies of the executive branch must allow the Division of Historical Resources (Division) the opportunity to comment on any undertakings, whether these undertakings directly involve the state agency, i.e., land management responsibilities, or the state agency has indirect jurisdiction, i.e. permitting authority, grants, etc. No state funds should be expended on the undertaking until the Division has the opportunity to review and comment on the project, permit, grant, etc.

State agencies shall preserve the historic resources which are owned or controlled by the agency.

Regarding proposed demolition or substantial alterations of historic properties, consultation with the Division must occur, and alternatives to demolition must be considered.

State agencies must consult with Division to establish a program to location, inventory and evaluate all historic properties under ownership or controlled by the agency.

C. Statutory Authority

Statutory Authority and more in depth information can be found at:
<http://www.flheritage.com/preservation/compliance/guidelines.cfm>

D. Management Implementation

Even though the Division sits on the Acquisition and Restoration Council and approves land management plans, these plans are conceptual. Specific information regarding individual projects must be submitted to the Division for review and recommendations.

Managers of state lands must coordinate any land clearing or ground disturbing activities with the Division to allow for review and comment on the proposed project. Recommendations may include, but are not limited to: approval of the project as submitted, cultural resource assessment survey by a qualified professional archaeologist, modifications to the proposed project to avoid or mitigate potential adverse effects.

Projects such as additions, exterior alteration, or related new construction regarding historic structures must also be submitted to the Division of Historical Resources for review and comment by the Division's architects. Projects involving structures fifty years of age or older, must be submitted to this agency for a significance determination. In rare cases, structures under fifty years of age may be deemed historically significant. These must be evaluated on a case by case basis.

Adverse impacts to significant sites, either archaeological sites or historic buildings, must be avoided. Furthermore, managers of state property should make preparations for locating and evaluating historic resources, both archaeological sites and historic structures.

E. Minimum Review Documentation Requirements

In order to have a proposed project reviewed by the Division, certain information must be submitted for comments and recommendations. The minimum review documentation requirements can be found at:

http://www.flheritage.com/preservation/compliance/docs/minimum_review_documentation_requirements.pdf.

* * *

Questions relating to the treatment of archaeological and historic resources on state lands should be directed to:

Robin D. Jackson
Division of Historical Resources
Bureau of Historic Preservation
Compliance and Review Section
R. A. Gray Building
500 South Bronough Street
Tallahassee, FL 32399-0250

Email: Robin.Jackson@DOS.myflorida.com
Phone: (850) 245-6496
Toll Free: (800) 847-7278
Fax: (850) 245-6435

Appendix E

NWFWMD Management Agreements

This page left blank intentionally.

Number	Entity	Purpose
11-045	Calhoun County Sheriff's Office	Law Enforcement Security Services for the Chipola River WMA Altha Tract.
15-022	Jackson County Board of County Commissioners	Maintenance Agreement for Christoff Landing on Chipola River WMA north of Marianna.
18-002	USDA APHIS	Cooperative Service Agreement for nuisance animal control.
19-037	St Johns River Water Management	Statewide Mutual Aid Agreement for assistance between agencies.
05-057	Florida Fish and Wildlife Conservation Commission	Wildlife Management Area Agreement that provides regulatory structure for certain District lands to be managed for public use under the FWC Wildlife Management Area system. Within the District's East Land Management Region, there are four FWC Wildlife Management Areas: <ul style="list-style-type: none"> • Apalachicola Wildlife Management Area • Apalachicola River Wildlife and Environmental Area • Beaverdam Creek Wildlife Management Area • Chipola River Wildlife Management Area
09-031	Liberty County Board of County Commissioners	Provides for County maintenance of the road system and recreation area at Florida River Island on the Apalachicola River WMA.
LM-06	Florida Trail Association	Provides for maintenance of the Florida National Scenic Trail on District lands using Florida Trail Association volunteers.
LM-14	U.S. Forest Service	Cooperative agreement that allows the District to utilize trainee crews from the National Interagency Prescribed Fire Training Center to assist with prescribed burns on District lands.
MOA-JACKSON CO.	Jackson County Board of County Commissioners	Cooperative project with Jackson County to develop the Bellamy Bridge Heritage Trail on the Chipola River WMA north of Marianna.
MOU-NAT SCENIC	US Forest Service	Cooperative agreement concerning placement and management of the Florida National Scenic Trail on District lands.
Red Hills 2013	Red Hills Horse Trials, Inc. and City of Tallahassee	Provides for the annual use of Elinor Klapp-Phipps Park for the Red Hills Horse Trials event.
11-012	Florida Fish and Wildlife Conservation Commission	Provides for Law Enforcement/Security Services by off-duty FWC officers.
MOU	Apalachicola Regional Stewardship Alliance - Multiple Agencies and Entities	Provides for cooperation among land management agencies and entities for activities within the District's East and Central Land Management Regions.

This page left blank intentionally.

Appendix F

**Florida Exotic Pest Plant Council Category
I and II**

This page left blank intentionally.



For more information on
invasive exotic plants
including links to related
web pages, visit:

www.fleppc.org

FLEPPC List Definitions:

Exotic—a species introduced to Florida, purposefully or accidentally, from a natural range outside of Florida. **Native**—a species whose natural range includes Florida. **Naturalized exotic**—an exotic that sustains itself outside cultivation (it is still exotic; it has not “become” native).

Invasive exotic— an exotic that has not only naturalized, but is expanding on its own in Florida native plant communities.

Zone: N = north, **C** = central, **S** = south,

Referring to each species’ general distribution in regions of Florida (not its potential range in the state). Please refer to the map below.



Citation example:

FLEPPC. 2019 List of Invasive Plant Species. Florida Exotic Pest Plant Council. Internet: www.fleppc.org

The 2019 list was prepared by the FLEPPC Plant List Committee

Tony Pernas, Co-Chair, 2017-2019, National Park Service, Big Cypress National Preserve, tony_pernas@nps.gov

Dennis Giardina, Co-Chair, 2017-2019, Florida Fish and Wildlife Conservation Commission, dennis.giardina@myfwc.com

Janice Duquesnel, Florida Park Service, Florida Department of Environmental Protection, janice.duquesnel@dep.state.fl.us

Alan Franck, Florida International University, Department of Biological Sciences, afranck@fiu.edu

Roger L. Hammer, Retired Naturalist and Author, kaskazi44@comcast.net

John Kunzer, Florida Fish and Wildlife Conservation Commission, john.kunzer@myfwc.com

James Lange, Fairchild Tropical Botanic Garden, jlange@fairchildgarden.org

Kenneth Langeland, Professor Emeritus, University of Florida/IFAS, Agronomy Department, gator8@ufl.edu

Deah Lieurance, University of Florida/IFAS, Agronomy Department, dmleurance@ufl.edu

Chris Lockhart, Habitats Specialists Inc., chris@lockharts.org

Jean McColom, Natural Ecosystems, jeannm@naples.net

Gil Nelson, Professor Emeritus, Florida State University/ iDigBio, gilnelson@bio.fsu.edu

Jennifer Possley, Fairchild Tropical Botanic Garden, jpossley@fairchildgarden.org

Jimi L. Sadle, National Park Service, Everglades National Park, jimi_sadle@nps.gov

Dexter Sowell, Florida State University, FNAI, dsowell@fnaifsu.edu

Jessica Spencer, US Army Corps of Engineers, jessica.e.spencer@usace.army.mil

Arthur Stiles, Florida Park Service, arthur.stiles@dep.state.fl.us

Richard P. Wunderlin, Professor Emeritus, University of South Florida, rwunder@usf.edu

Florida Exotic Pest Plant Council’s 2019 List of Invasive Plant Species

The mission of the Florida Exotic Pest Plant Council is to reduce the impacts of invasive plants in Florida through the exchange of scientific, educational, and technical information.

Note: The FLEPPC List of Invasive Plant Species is not a regulatory list. Only those plants listed as Federal Noxious Weeds, Florida Noxious Weeds, Florida Prohibited Aquatic Plants, or in local ordinances are regulated by law.

Purpose of the List

To provide a list of plants determined by the Florida Exotic Pest Plant Council to be invasive in natural areas of Florida and routinely update the list based upon information of newly identified occurrences and changes in distribution over time. Also, to focus attention on:

- The adverse effects exotic pest plants have on Florida’s biodiversity and native plant communities,
- The habitat losses in natural areas from exotic pest plant infestations,
- The impacts on endangered species via habitat loss and alteration,
- The need for pest plant management,
- The socio-economic impacts of these plants (e.g., increased wildfires or flooding in certain areas),
- Changes in the severity of different pest plant infestations over time,
- Providing information to help managers set priorities for research and control programs.

www.fleppc.org

CATEGORY I

Invasive exotics that are altering native plant communities by displacing native species, changing community structures or ecological functions, or hybridizing with natives. This definition does not rely on the economic severity or geographic range of the problem, but on the documented ecological damage caused.

Scientific Name	Common Name	Zone	Scientific Name	Common Name	Zone
<i>Abrus precatorius</i>	rosary pea	C, S	<i>Melinis repens</i>	Natigrass	C, S
<i>Acacia auriculiformis</i>	ear-leaf acacia	C, S	<i>Microsorium grossum</i> ^a	serpent fern, wart fern	C, S
<i>Albizia julibrissin</i>	mimosa, silk tree	N, C	<i>Microstegium vimineum</i>	Japanese stiltgrass	N
<i>Albizia lebbekii</i>	woman's tongue	C, S	<i>Mimosa pigra</i>	catclaw mimosa	C, S
<i>Ardisia crenata</i>	coral ardisia	N, C, S	<i>Nandina domestica</i>	heavenly bamboo, nandina	N, C
<i>Ardisia elliptica</i>	shoebutton ardisia	C, S	<i>Nephrrolepis brownii</i>	Asian sword fern	C, S
<i>Asparagus acrospus</i>	asparagus fern	N, C, S	<i>Nephrrolepis cordifolia</i>	sword fern	N, C, S
<i>Bauhinia variegata</i>	orchid tree	C, S	<i>Neyraudia reynaudiana</i>	Burma reed	S
<i>Bischofia javanica</i>	bishopwood	C, S	<i>Nymphaeoides cristata</i>	crested floatingheart	C, S
<i>Calophyllum antillarum</i>	Santa Maria	S	<i>Paederia cruddasiana</i>	sewer vine	C, S
<i>Casuarina equisetifolia</i>	Australian-pine	N, C, S	<i>Paederia foetida</i>	skunk vine	N, C, S
<i>Casuarina glauca</i>	suckering Australian-pine	C, S	<i>Panicum repens</i>	torpedograss	N, C, S
<i>Cenchrus purpureus</i>	elephantgrass, Napier grass	N, C, S	<i>Pistia stratiotes</i>	water-lettuce	C, S
<i>(Pennisetum purpureum)</i>			<i>Psidium cattleianum</i>	starberry guava	C, S
<i>Cinnamomum camphora</i>	camphor-tree	N, C, S	<i>Psidium guajava</i>	guava	C, S
<i>Colocasia esculenta</i>	wild taro	N, C, S	<i>Pueraria montana var. lobata</i>	kudzu	N, C, S
<i>Caladium eslatia</i>	lathleaf	S	<i>Rhynchospora tomentosa</i>	downy rose-myrtle	C, S
<i>Cupanopsis anacardioides</i>	carrotwood	C, S	<i>Ruellia simplex</i>	Mexican petunia	N, C, S
<i>Deparia petersenii</i>	Japanese false spleenwort	N, C	<i>Salvinia minima</i>	water spangles	N, C, S
<i>Discoarea alata</i>	winged yam	N, C, S	<i>Scaevola taccada</i>	beach naupaka, half-flower	N, C, S
<i>Discoarea bulbifera</i>	air potato	N, C, S	<i>Schefflera actinophylla</i>	Schefflera, umbrella tree	C, S
<i>Dolichandra unguis-cati</i>	cat's-claw vine	N, C, S	<i>Schinus terebinthifolia</i>	Brazilian pepper	N, C, S
<i>(Macfadyena unguis-cati)</i>			<i>Scleria lacustris</i>	Wright's nutrush	C, S
<i>Eichhornia crassipes</i>	water-hyacinth	N, C, S	<i>Scleria microcarpa</i> ^a	tropical nutrush	C, S
<i>Eugenia uniflora</i>	Surinam cherry	C, S	<i>Senna pendula var. glabrata</i>	Christmas sena, climbing cassia	C, S
<i>Ficus microcarpa</i> ¹	lurel fig	C, S	<i>Solanum tamicense</i>	wetland night shade	C, S
<i>Hydrilla verticillata</i>	hydrilla	N, C, S	<i>Solanum viarum</i>	tropical soda apple	N, C, S
<i>Hypophylla polysperma</i>	green hygro	N, C, S	<i>Sporobolus jacquemontii</i>	West Indian dropseed	C, S
<i>Hymenachne amplexicaulis</i>	West Indian marsh grass	N, C, S	<i>Synagnum podophyllum</i>	arrowhead vine	N, C, S
<i>Imperata cylindrica</i>	cogongrass	N, C, S	<i>Synagnum cunini</i>	Java plum	C, S
<i>Ipomoea aquatica</i>	water-spinnach	C	<i>Tectaria indica</i>	incised halberd fern	S
<i>Jasminum dichotomum</i>	Gold Coast jasmine	C, S	<i>Thelypteris apulenta</i>	jeweled maidenhair fern	C, S
<i>Jasminum fluminense</i>	Brazilian jasmine	C, S	<i>Thespesia populnea</i>	seaside mahoe	N, C
<i>Lantana strigecanara</i> ²	lantana, shrub verbenia	N, C, S	<i>Tradescantia fluminensis</i>	small-leaf spiderwort	C, S
<i>Ligustrum lucidum</i>	glossy privet	N, C	<i>Tradescantia spathulacea</i>	oyster plant	C, S
<i>Ligustrum sinense</i>	Chinese privet	N, C, S	<i>Tradescantia virginiana</i>	Chinese tallow-tree	N, C, S
<i>Lonchocarpus japonica</i>	Japanese honeysuckle	N, C, S	<i>Urena lobata</i>	Caesar's weed	N, C, S
<i>Ludwigia peruviana</i>	Peruvian primrosewillow	N, C, S	<i>Urtica dioica</i>	paragrass	N
<i>Lumnitzera racemosa</i>	black mangrove	S	<i>Urtica dioica</i>	beach vitex	N
<i>Luciola subintegra</i>	Tropical American watergrass	S			
<i>Lygodium japonicum</i>	Japanese climbing fern	N, C, S			
<i>Lygodium microphyllum</i>	Old World climbing fern	N, C, S			
<i>Manihara zapota</i>	sapodilla	S			
<i>Meibomia quinqueveneria</i>	meibomia, paper bark	C, S			

¹ Does not include *Ficus microcarpa* var. *fuyujensis*, which is sold as "green island ficus".

² Historically this non-native has been referred to as *Lantana camara*, a species not known to occur in Florida.

³ Does not include the native endemic *Spermatocoe neoterminalis*.

^a *Microsorium grossum* has been previously misidentified as *Microsorium scolopendria*.

^b Added to the FLEPPC List of Invasive Species in 2019.

Plant names are those published in the Atlas of Florida Plants (<http://www.florida.plantatlas.usf.edu>). For historical species nomenclature see "Guide to Vascular Plants of Florida Third Edition." Wunderlin and Hansen, University of Florida Press. 2011.

CATEGORY II

Invasive exotics that have increased in abundance or frequency but have not yet altered Florida plant communities to the extent shown by Category I species. These species may become Category I if ecological damage is demonstrated.

Scientific Name	Common Name	Zone	Scientific Name	Common Name	Zone
<i>Adiantum parvifolium</i>	red sandalwood	S	<i>Koeleria elegans</i> subsp. <i>formosana</i>	flamegold tree	C, S
<i>Agave sisalana</i>	sisal hemp	C, S	<i>Landoltia punctata</i>	spotted duckweed	N, C, S
<i>Alternanthera philoxeroides</i>	devil tree	N, C, S	<i>Leucaena leucoccephala</i>	leadrone	N, C, S
<i>Alternanthera versicolor</i>	coral vine	N, C, S	<i>Limnophila sessiliflora</i>	Asian marshweed	C, S
<i>Ardisia japonica</i>	Japanese ardisia	N	<i>Livistona chinensis</i>	Chinese fan palm	N, C, S
<i>Aristolochia elegans</i>	calico flower	N, C, S	<i>Macarostegium lathyroides</i>	wild bushbean	C, S
<i>(Aristolochia littoralis)</i>			<i>Melaleuca viminalis</i>	bottlebrush	C, S
<i>Asystasia gangetica</i>	Ganges primrose	C, S	<i>(Callistemon viminalis)</i>		
<i>Begonia cucullata</i>	wax begonia	N, C, S	<i>Melia azadirach</i>	Chinaberry	N, C, S
<i>Broussonetia papyrifera</i>	paper mulberry	N, C, S	<i>Melinis minutiflora</i>	molasses grass	C, S
<i>Bruguiera gymnorhiza</i>	large-leafed mangrove	S	<i>Mikania micrantha</i>	mile-a-minute vine	S
<i>Callisia fragrans</i>	inch plant	C, S	<i>Momordia charantia</i>	balsam-apple	N, C, S
<i>Casuarina cunninghamiana</i>	river sheoak	C, S	<i>Muraya paniculata</i>	orange-jessamine	S
<i>Cecropia palmata</i>	trumpet tree	C, S	<i>Myriophyllum spicatum</i>	Eurasian water-milfoil	N, C, S
<i>Cenchrus polystachios</i>	mission grass	S	<i>Passiflora biflora</i>	twine-flowered passion vine	C, S
<i>(Pennisetum polystachios)</i>			<i>Phoenix reclinata</i>	Sengal date palm	N, C
<i>Cenchrus setaceus</i>	fountain grass	S	<i>Phyllotachys aurea</i>	golden bamboo	S
<i>(Pennisetum setaceum)</i>			<i>Pittosporum pentandrum</i>	Taiwanese cheesewood	S
<i>Cestrum diurnum</i>	day jessamine	C, S	<i>Platycodon grandiflorum</i>	solitary palm	S
<i>Chamaedorea seifrizii</i>	bamboo palm	N, C	<i>Praxelis clematidea</i>	Chinese brake, ladder brake	N, C, S
<i>Clematis ternstroemii</i>	Japanese clematis	N, C	<i>Pteris vittata</i>	solitary palm	S
<i>Cocos nucifera</i>	coconut palm	C, S	<i>Ptychosperma elegans</i>	large-flower Mexican clover	N, C, S
<i>Crassocephalum crepidioides</i>	reedflower ragleaf	C, S	<i>Richardia grandiflora</i>	castorbean	C, S
<i>Cryptostegia madagascariensis</i>	Niagadagascar rubbervine	C, S	<i>Ricinus communis</i>	dwarf rosalia, roundleaf toothcup	S
<i>Cyperus involutus</i>	umbrella plant	C, S	<i>Rotula rotundifolia</i>	green shrimp plant	N, C, S
<i>Cyperus proflifer</i>	Durban crow's-foot grass	C, S	<i>Sesbania punicea</i>	rattlebox	C, S
<i>Dactyloctenium aegyptium</i>	Indian roseweed, sissoo	C, S	<i>Sida planicaulis</i>	mata-pasto	C, S
<i>Dalbergia sissoo</i>	spurge-creeper	C, S	<i>Solanum diphyllum</i>	twineleaf nightshade	N, C, S
<i>Dalichampia scandens</i> ^a	Spanish aborb vine, wood-rose	C, S	<i>Solanum torvum</i>	turkey berry	N, C, S
<i>Distimake tuberosus</i>	bowstring hemp	C, S	<i>Spermatocoe verticillata</i> ¹	shubby false buttonweed	C, S
<i>(Merremia tuberosa)</i>			<i>Sphagneteola trilobata</i>	wedelia	N, C, S
<i>Dracaena hyacinthoides</i>	silverthorn, thorny olive	N, C	<i>Stachytarpheta cayennensis</i>	nettle-leaf porterweed	S
<i>Elacagnus pungens</i>	autumn olive, silverberry	C, S	<i>Syagrus romanzoffiana</i>	queen palm	C, S
<i>Elacagnus umbellata</i>	pothos	C, S	<i>Syagrus yambos</i>	Malabar plum, rose-apple	N, C, S
<i>Epipremnum pinnatum</i> cv. 'Aureum'	Chinese crown orchid	C, S	<i>Tallipariti bilaceum</i>	mahoe, sea hibiscus	C, S
<i>Euphorbia graminea</i>	council tree, false banyan	S	<i>Terminalia catappa</i>	tropical-almond	C, S
<i>Ficus altissima</i>	governor's plum	C, S	<i>Terminalia muelleri</i>	puncture vine, burr-nut	N, C, S
<i>Flacourtia indica</i>	limpograss	S	<i>Tribulus cistoides</i>	Guineagrass	N, C, S
<i>Hemarthria altissima</i>	redwing	N, C, S	<i>(Panicum maximum)</i>		
<i>Heritiera brachiata</i>	jaraguá	N, C, S	<i>Vernicia fordii</i>	tung-oil tree	N, C, S
<i>Hypparrhenia rufa</i>	shrub morning-glory	C, S	<i>Vitex trifolia</i>	single-leaf chastetree	C, S
<i>Ipomoea carnea</i> subsp. <i>fruticulosa</i>	mother of millions	N, C, S	<i>Washingtonia robusta</i>	Washington fan palm	C, S
<i>Kalanchoe x haughtonii</i>	life plant	C, S	<i>Xanthosoma inensiss</i>	Chinese wisteria	N, C
<i>Kalanchoe pinnata</i>			<i>Xanthosoma sagittifolium</i>	malanga, elephant ear	N, C, S

Appendix G

**Known Historical and Archaeological
Resources in the East Region**

This page left blank intentionally.

Table 1 Known Archaeological Resources in the Apalachicola River WMA			
FMSF Site Number	Site Name	Resource Type	Eligibility (SHPO)
GU00004	Isabel Landing	Archaeological Site	Not Evaluated, but human remains may be present
GU00014	Confederate Battery Gilmer	Archaeological Site	Not Evaluated
GU00066	Gartner	Archaeological Site	Not Evaluated
GU00094	Confederate Battery Cobb	Archaeological Site	Not Evaluated
GU00098/LI00426	Isolate Canoe Site	Archaeological Site	Not Evaluated
GU00104	Lower Chipola Apiary	Archaeological Site	Not Evaluated
GU00138	Virginia Cut Pull Boat	Archaeological Site, Shipwreck	Not Evaluated
GU00183	Apalachee Wreck	Archaeological Site, Shipwreck	Not Evaluated
GU00274	Confederate River Obstructions	Archaeological Site	Not Evaluated
LI00043	Brushy Creek Sidewheeler	Archaeological Site, Shipwreck	Not Evaluated
LI00076	St. Steven's	Archaeological Site	Eligible
LI00118	USFS 82-13	Archaeological Site	Not Evaluated
LI00132	USFS 83-9 Apalach	Archaeological Site	Not Evaluated
LI00188	Slip and Slide	Archaeological Site	Insufficient information
LI00191	Lunchbreak	Archaeological Site	Insufficient information
LI00192	Wild Grape	Archaeological Site	Insufficient information
LI00193	Flags	Archaeological Site	Insufficient information
LI00194	Felled Trees	Archaeological Site	Insufficient information
LI00198	Pig Island Pit	Archaeological Site	Not Evaluated
LI00220	Florida River	Archaeological Site	Insufficient information
LI00394	X118F-1	Archaeological Site	Not Eligible
LI00511	Dancing Woodcock	Archaeological Site	Not Evaluated
LI00568	Bonomassa Ridge	Archaeological Site	Insufficient information
LI00569	Birth of the Cool	Archaeological Site	Eligible
LI00570	New Atheist's Café	Archaeological Site	Eligible
LI00571	The Blues are Moody	Archaeological Site	Not Eligible
LI00572	Twin Peaks Landing	Archaeological Site	Eligible
LI00573	Aynsley's Lister	Archaeological Site	Insufficient information
LI00574	Stevie Ray's Weather	Archaeological Site	Insufficient information
LI00575	Slope Rider	Archaeological Site	Not Eligible
LI00576	Cutters' Camp	Archaeological Site	Not Eligible
LI0057on 7	Call of the Vadas	Archaeological Site	Insufficient information
LI00578	Six Flake Pizza	Archaeological Site	Insufficient information

Table 1 Known Archaeological Resources in the Apalachicola River WMA			
FMSF Site Number	Site Name	Resource Type	Eligibility (SHPO)
LI00579	G.Printiss 2	Archaeological Site	Insufficient information
LI00580	Conservancy Row	Archaeological Site	Insufficient information
Key: FMSF = Florida Master Site File. SHPO = State Historic Preservation Office.			

Table 2 Known Historical Resources in the Chipola River WMA			
FMSF Site Number	Site Name	Resource Type	Eligibility (SHPO)
CA00065	Johnny Boy Landing	Archaeological	Not Eligible
CA00066	Holliman Sink Hole	Archaeological	Not Evaluated
CA00083	Gully	Archaeological	Insufficient Info
CA00093	Johnny Boy Landing 2	Archaeological	Not Evaluated
CA00094	Johnny Boy Landing	Archaeological	Not Evaluated
CA00095	Altha West Site	Archaeological	Not Evaluated
CA00096	Chipola River Site North 274	Archaeological	Not Evaluated
CA00097	Hwy 274 Bridge Site	Archaeological	Insufficient Info
CA00098	Look & Tremble Shoals	Archaeological	Not Evaluated
CA00104	Crawfish Claw	Archaeological	Not Eligible
CA00136	Look and Tremble	Archaeological	Insufficient Info
CA00141	Log Bridge	Archaeological	Insufficient Info
CA00221	Bauldree Field	Archaeological	Eligible
CA00222	Bauldree Florida Trail Bridge Site	Archaeological	Not Eligible
CA00223	Bauldree Fork	Archaeological	Not Eligible
CA00224	Melonhead's Reign	Archaeological	Insufficient Info
CA00225	Tea Party Fiasco	Archaeological	Not Eligible
CA00226	Chizom's Complaint	Archaeological	Insufficient Info
CA00227	Bent Bullet	Archaeological	Insufficient Info
CA00228	Politricks of Scott	Archaeological	Not Eligible
CA00229	Melonhead's Folly	Archaeological	Not Eligible
CA00230	Felonious Funk	Archaeological	Not Eligible
CA00231	Four Flake Taco	Archaeological	Not Eligible
CA00232	McLin	Archaeological	Not Eligible
CA00233	Holliman's Holes	Archaeological	Not Eligible
CA00234	Miles of Davis Hill	Archaeological	Eligible
CA00235	Dylan's Joy	Archaeological	Not Eligible
CA00236	Saladine's Temple	Archaeological	Insufficient Info
CA00237	The Griz is Restless	Archaeological	Eligible
CA00238	Has Beens & Hopefuls	Archaeological	Insufficient Info
CA00239	Mumbly's Peg	Archaeological	Not Eligible
CA00240	Wiley's Wonka	Archaeological	Not Eligible
CA00241	Nuttin' Here	Archaeological	Not Eligible
CA00242	Bauldree Branch Blues	Archaeological	Not Eligible
CA00243	No Muddy Waters Here	Archaeological	Insufficient Info
CA00244	Blues on the River Bank	Archaeological	Insufficient Info

Table 2 Known Historical Resources in the Chipola River WMA			
FMSF Site Number	Site Name	Resource Type	Eligibility (SHPO)
CA00245	Robert Johnson Landing	Archaeological	Not Eligible
CA00246	Johnny Boy Landing Road	Archaeological	Not Eligible
CA00247	Big Hollis	Archaeological	Insufficient Info
CA00248	Little Hollis	Archaeological	Not Eligible
CA00249	Tremble When You Look	Archaeological	Not Eligible
CA00250	Bauldree to Horseshoe Bend	Archaeological	Insufficient Info
CA00251	Taylor's Hound Dog	Archaeological	Not Eligible
CA00252	Jimi's Red House	Archaeological	Insufficient Info
CA00253	John Lee's Boogy	Archaeological	Insufficient Info
CA00254	January's End on the Bend	Archaeological	Not Eligible
CA00255	Jeru in the air	Archaeological	Not Eligible
CA00256	Congress of Fools	Archaeological	Not Eligible
CA00257	Blues House Branch	Archaeological	Not Eligible
CA00258	Taylor Homestead	Archaeological	Insufficient Info
CA00295	HJ-BL	Archaeological	Not Evaluated
CA00296	HJ-BM	Archaeological	Not Evaluated
CA00297	HJ-BN	Archaeological	Not Evaluated
JA00083	Bellamy Bridge Site	Archaeological	Not Evaluated
JA00096	White	Archaeological	Eligible
JA00106	Marshall Creek Bridge	Archaeological	Insufficient Info
JA00144	Bumpnose 1	Archaeological	Insufficient Info
JA00194	NN	Archaeological	Not Evaluated
JA00392	High Spring Run South	Archaeological	Insufficient Info
JA00393	High Spring Run North	Archaeological	Insufficient Info
JA00399	Bellamy Bridge	Bridge	Eligible
JA00427	Three Guys	Archaeological	Insufficient Info
JA00445	White Pond East	Archaeological	Not Eligible
JA00488	Christoff Ferry Landing	Archaeological	Insufficient Info
JA00489	Never Ending	Archaeological	Not Evaluated
JA00491	Crimson Tide	Archaeological	Insufficient Info
JA00510	River Genesis	Archaeological	Insufficient Info
JA00530	Screwy Road	Archaeological	Insufficient Info
JA00532	Fingertip	Archaeological	Insufficient Info
JA00535	Washout	Archaeological	Insufficient Info
JA00538	Old Bones	Archaeological	Not Evaluated
JA00763	Grady Jones	Archaeological	Insufficient Info

Table 2 Known Historical Resources in the Chipola River WMA			
FMSF Site Number	Site Name	Resource Type	Eligibility (SHPO)
JA01108	Cowart's Creek	Archaeological	Not Eligible
JA01118	Chipola River Bellamy Bridge	Archaeological	Not Evaluated
JA01481	North Hays Spring Run	Archaeological	Not Evaluated
JA01482	Hays Spring Run Deptford	Archaeological	Insufficient Info
JA01488	Long Farm @ Chipola River Bellamy Bridge	Archaeological	Insufficient Info
JA01499	Ron Hunt Number Eighteen	Archaeological	Not Evaluated
JA01781	Bellamy Family Cemetery	Cemetery	Not Evaluated
JA01843	SR 2 – Cambellton to Malone	Resource Group	Not Evaluated
JA01852	Chipola Dam	Archaeological	Not Evaluated
JA01865	CR-162 / Chipola River	Bridge	Not Evaluated
JA01870	Howlin' at the Moon	Archaeological	Insufficient Info
JA01872	Hill of Holes	Archaeological	Insufficient Info
JA01876	Hey Joe Branch	Archaeological	Insufficient Info
JA01877	Don't More Melonhead	Archaeological	Insufficient Info
JA01878	Sloughslaw	Archaeological	Insufficient Info
JA01879	Turkey Shakin' Beard	Archaeological	Insufficient Info
JA01880	Chicken & Chippins	Archaeological	Insufficient Info
JA01881	McNeally's Cedars	Archaeological	Insufficient Info
JA01882	Gravel Lump 1	Archaeological	Insufficient Info
JA01883	Floodplain Gravel Highrise	Archaeological	Eligible
JA01884	Christoff Ferry Landing	Archaeological	Insufficient Info
JA01885	Big Hills' Little Sister	Archaeological	Insufficient Info
JA01886	Melonheads' Butcher Job	Archaeological	Insufficient Info
JA01887	Was Once a Landing	Archaeological	Insufficient Info
JA01888	Melonhead Scott	Archaeological	Not Eligible
JA01889	Splendor in the Forks	Archaeological	Insufficient Info
JA01890	Was Once a Field	Archaeological	Not Eligible
JA01891	Funk in the Forks	Archaeological	Not Eligible
JA01892	Swamp Bowl Salad	Archaeological	Not Eligible
JA01893	Once Upon a Slough	Archaeological	Insufficient Info
JA01894	Spire's Field West	Archaeological	Not Eligible
JA01895	Sills Road/Bridges Cowarts Creek	Archaeological	Insufficient Info
JA01896	Sills Road/Bridges on Marshall Creek	Archaeological	Insufficient Info
JA01897	Old Bellamy Road West	Archaeological	Insufficient Info
JA01898	West of Chipola Tram	Archaeological	Not Eligible
JA01899	Mo Betta Spot	Archaeological	Insufficient Info

Table 2 Known Historical Resources in the Chipola River WMA			
FMSF Site Number	Site Name	Resource Type	Eligibility (SHPO)
JA01900	O'Tay	Archaeological	Insufficient Info
JA01901	Johnny Wishing for Winter	Archaeological	Insufficient Info
JA01902	Smokin' Joe K	Archaeological	Insufficient Info
JA01903	Six Strings Awhalin'	Archaeological	Insufficient Info
JA01904	Was Once a Goodun	Archaeological	Insufficient Info
JA01905	Spin Docs	Archaeological	Insufficient Info
JA01906	Savoy Brown	Archaeological	Insufficient Info
JA01907	Savoy Blues	Archaeological	Insufficient Info
JA01908	Spires' Field East	Archaeological	Insufficient Info
JA01909	Di Meola's Dance	Archaeological	Insufficient Info
JA01910	Could Belong to Satan	Archaeological	Insufficient Info
JA01911	Rattler Nearbout Stepped Upon	Archaeological	Insufficient Info
JA01912	Race with the Devil	Archaeological	Not Eligible
JA01913	Twixt Creek and Swamp	Archaeological	Insufficient Info
JA01914	Coakley's Boogie	Archaeological	Insufficient Info
Key: FMSF = Florida Master Site File. SHPO = State Historic Preservation Office.			

Table 3 Known Historical Resources in the Elinor Klapp-Phipps Park WMA			
FMSF Site Number	Site Name	Resource Type	Eligibility (SHPO)
LE01438	Meridian Park	Archaeological	Not Evaluated
LE01439	NN	Archaeological	Not Evaluated
LE02196	Phipps - 1	Archaeological	Not Evaluated
LE02197	Phipps - 2	Archaeological	Not Evaluated
LE02198	Phipps - 3	Archaeological	Not Evaluated
LE02199	Phipps - 4	Archaeological	Not Evaluated
LE02200	Phipps - 5	Archaeological	Not Evaluated
LE02201	Phipps - 6	Archaeological	Not Evaluated
LE02202	Phipps - 7	Archaeological	Not Evaluated
LE02203	Phipps - 8	Archaeological	Not Evaluated
LE05962	North Meridian Road	Resource Group	NRHP Listed
LE05967	Red Hills Well	Archaeological	Not Evaluated
LE05968	Red Hills Tram	Resource Group	Not Evaluated
LE05969	Meridian Park Water System	Archaeological	Not Evaluated
Key: FMSF = Florida Master Site File. SHPO = State Historic Preservation Office.			

This page left blank intentionally.